Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



LUS ESERVE

COTTON QUALITY CROP OF 1961



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Table	No.	Page No.
	Introduction	. 3
	Distribution of Cotton Production: United States	. 4
	United States tables:	
1	Grade and staple of upland cotton ginned in the United States, 1961-62	. 5
2	Grade and staple of upland cotton ginned in the United States, during specified periods, 1961-62	
3	Grade and staple of American-Egyptian cotton ginned, by States and United States, 1961-62	
5	Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1961-6 Grade index and average staple of upland cotton ginned in the United States, by States, crops of 1957-61.	
6	Preparation, grade reduction, and wasty upland cotton ginned in the United States, by States, 1961-62	
7	Grade reductions, by specified causes, of upland cotton ginned in the United States, by States, 1961-62.	
8	Tenderability of upland cotton ginned, by States, 1961-62	
9	Tenderability of upland cotton ginned in the United States, 1945-61	. 12
	State tables, 1961-62 upland crop:	
	butto values, and or appears of op-	
10	Grade and staple of upland cotton ginned in Alabama	. 13
11	Grade and staple of upland cotton ginned in Arizona	
12	Grade and staple of upland cotton ginned in Arkansas	
13	Grade and staple of upland cotton ginned in California	
14	Grade and staple of upland cotton ginned in Florida	
16	Grade and staple of upland cotton ginned in Illinois	
17	Grade and staple of upland cotton ginned in Kentucky	
18	Grade and staple of upland cotton ginned in Louisiana	
19	Grade and staple of upland cotton ginned in Mississippi	
20	Grade and staple of upland cotton ginned in Missouri	
21	Grade and staple of upland cotton ginned in Nevada	
22	Grade and staple of upland cotton ginned in New Mexico	
24	Grade and staple of upland cotton ginned in Oklahoma	
25	Grade and staple of upland cotton ginned in South Carolina	
26	Grade and staple of upland cotton ginned in Tennessee	
27	Grade and staple of upland cotton ginned in Texas	. 30
28	Grade and staple of upland cotton ginned in Virginia	
29	Grade and staple of upland cotton ginned, during specified periods, in Alabama and Arizona	
30	Grade and staple of upland cotton ginned, during specified periods, in Arkansas and California	
31	Grade and staple of upland cotton ginned, during specified periods, in Florida and Georgia	
33	Grade and staple of upland cotton ginned, during specified periods, in Louisiana and Mississippi	1000
34	Grade and staple of upland cotton ginned, during specified periods, in Missouri and Nevada	
35	Grade and staple of upland cotton ginned, during specified periods, in New Mexico and North Carolina	. 38
36	Grade and staple of upland cotton ginned, during specified periods, in Oklahoma and South Carolina	
37	Grade and staple of upland cotton ginned, during specified periods, in Tennessee and Texas	
38	Grade and staple of upland cotton ginned, during specified periods, in Virginia	
40	Grade and staple of upland cotton ginned, by districts, in Alabama and Arizona	
41	Grade and staple of upland cotton ginned, by districts, in Georgia and Louisiana	
42	Grade and staple of upland cotton ginned, by districts, in Mississippi and New Mexico	
43	Grade and staple of upland cotton ginned, by districts, in North Carolina and Oklahoma	
44	Grade and staple of upland cotton ginned, by districts, in South Carolina and Tennessee	. 52

Cotton Quality - United States

1961 Crop

Introduction

The quality of cotton ginned in the United States from the 1961 crop is presented in this report. Prior to the 1960 crop, quality data on the crop and the carry-over were combined in an annual report entitled "Cotton Quality Statistics - United States". This statistical report was discontinued a year ago and replaced by two separate reports - one covering the quality of cotton in the crop and the other covering quality data on the carry-over, crop, supply and disappearance.

Quality statistics on the 1961 crop for the major cotton-producing states are presented in three groups of tables in this report. The first group of tables contains cross-class data on the grade and staple of upland cotton ginned by states from the 1961 crop. The second group of tables contains grade and staple estimates of upland cotton ginned by specified periods. Grade and staple estimates of upland cotton ginned by districts are included in the third group of tables. Estimates of the quality of 1961-62 ginnings are based on the classification of samples representing approximately ten percent of the cotton crop. The sample distribution of the various qualities was raised to total ginnings as reported by the Bureau of the Census for upland and American-Egyptian cotton.


The report covering the qualities of cotton in the carry-over will contain grade and staple estimates of cotton on hand on August 1, 1962 by principal types of storage. Data on the crop, supply and disappearance of upland cotton by qualities for the 1961-62 season and comparative data for preceding years will be included in the report.

Quality estimates presented herein indicate that the 1961 crop of upland cotton contained a much larger proportion of Middling and higher grades than the preceding season's crop. The proportion of Strict Low Middling Plus and lower White grades in the 1961 crop was the smallest for any crop on record. The 1961 grade index was 95.7 (Middling White equals 100). This compares with the index of 95.4 for the 1960 crop and 95.8 for 1959.

The average length of upland cotton ginned from the 1961 crop equaled the record staple of 32.9 thirty-seconds inches set during the 1960 season. There was a substantial decrease in the proportion of 1-1/32" cotton from the previous year, but a very sharp increase in the proportion of cotton stapling 1-3/32". The proportion of the 1961 crop stapling shorter than one inch was the largest since the 1954-55 season.

American-Egyptian cotton ginned from the 1961 crop averaged slightly lower in grade and shorter in staple than during the 1960-61 season. About 61 percent of the 1961 crop was Grade 3 and higher against 68 percent in the previous season. Cotton stapling 1-7/16" and longer accounted for 49 percent of the 1961 crop compared with 59 percent during the 1960-61 season.

Cotton ginned from the 1961 crop totaled 14,325,000 bales, according to the Bureau of the Census. This compares with 14,265,000 bales a year earlier and 14,515,000 two years ago.



191-62
35
States,
United
the
5
gluned
cotton
upland
Jo
staple
and
Grade
9
I.
Table

0168	Percent	5	11.2	0.	32.1	16.7	1.001	1 00	2.5	9		r.	68.0	2.90		3.4	11.7	7.7	25.1			4.	, m,	80	3.2		1 0	, m	ů.	.2	8.	g	6	0			0.	80 (1.7				.2	1.0	100.0	-		95.7
All staples	Bales	710 89	1,594,504	121,813	4,554,340	2 240,134	187 784	543 151	12.291	89,032	459	15,084	9 670 769	5,070,000	1.839	481,223	1,667,984	1,097,136	3,580,338		200	143 144	184,153	120,955	458,513		1 040	38,291	41,419	30,792	112,370	0	267	5,445	5,712	000	85,650	116,868	45,301	248,686	129	3,743	16,723	39,501	147,976	14,263,365	Percent	100.0	ion
1-1/4 inches and	Bales	434	2,976	58	1,202	33	167	7 0	h g	0	0	•	4 986		0	29	0	25 62	116			9 (9	-				1 1	0			g	ı q					ı		4	0	1		,	9	5.102 1/1	1		Percentage rough preparation
1-7/32 inches	Bales	The .	1,290	19	441	27	13/	ח כ	0	1 0	0	0	2 25B			55	67	4 α	178		Q	0 1	0 0				g	0 8	1	1		0		9	1			Q		-	8	9	1 1	0		2.436			Percentage rou Grade Index
1-3/16 inches	Bales	1 105	2,974	20	1,758	14/	700	8 4	7	- 1	0		A 674			31	7	9 6	186		Q	1 0	2 1		10			8 8	g		1		0		•		4 0		9	1		5	1 1	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND	-	6.820	1		Per
1-5/32 inches	Bales	24 183	88,030	265	69,773	2,065	0,3/0	8 8	8	8 0	0	0	101	191,100	4	2,229	2,431	215	4,919		9	8 1	- 0		7		£	¥ . e	4			(0 2		8		0 00	22	9	108	1	0	1 1		1	196.200			
1-1/8 inches	Bales	10 340	87,224	3,328	121,667	6,721	31,339	1 784	1,104	711	0	11	150 575	212,931	g	6,933	11,790	1,747	20,642		. 1	27.	43	20.5	261		8 (20 (1	80		8 8	1	1		19	102	10	805	1	22	8 8	22	149	204 BIB	Donogon	2.1	
1-3/32 inches	Bales	707 11	305,964	46,976	787,426	54,974	20,873	20 565	30,363	128	200	108	ED2 224	,532,234	3	961.6	24,597	11,353	47,538			214	9 9	240	2,048		1	0 00	2 12	1	39		0 0		1		9 2	1,093	65	3,031	1	8	410	143	318	585 351	+ + + + + + + + + + + + + + + + + + + +	11.1	
1-1/16 inches	Bales	10 220	768,715	61,302	,459,414	129,066	,032,312	080,78	180,009	17,508	156	1,387	300 631	, /02,330 1	276	66,393	193,887	95,381	389,817		52	2,036	0000	7,754	26.726		0	276	623	208	1,174		9 6		•		380	25,104	4,693	58,588	19	165	1,463	2,786	2,022	F 243 440 T		36.8	
1-1/32 Inches	Bales	707 8	- "	6,605	557,725 2	27,898	410,082	126,02	2,720	3,126	900	5,213	1	4 161,9/6,	160	63,597	170,657	149,216	493,369		0	1,587	777 381	44,197	91,396		9	1 260	6,633	5,256	13,214		0 (2	22		229	50,420	24,780	109,492	58	1,410	5,972	14,102	11,920		1	14.8	
1 inch	Bales	500	48,778	1,187	151,787	5,967			1 220	20,176	183	4 ,883	1 221 7	410,155 1,	021	57.827		91,913		1	35	650	3,280	33,022	49.491			43	6.488	10,667	17,965		0 1	203	203		29	22,368	10,829	45,302	12	862	4,912	13,651	68,713	1	2 (+7,2	Fercent 6.7	
31/32 tnch	Bales	222	82,527	920	184,679	5,418	103,106	20,76	29,302	1,040	63	1,782	701 007	422,794		113.745			1.		0	762	885.0	9,239	26.637		0	ĦĘ	1.235	3,235	4,892		000	95	115		89	8,057	2,320	14,499	31	349	1,792	4,133	35,368	250 001	100,072	Percent 7.7	
15/16 inch	Bales	306	65,333					19,22/	44,355	1,322	D,CIG	1,332	1	573,788		135.073		464,833		1	8	3,229	67,156	14,345	152.075		8	12 23	8.722	3,729	24,272		1 00	619	689		2 2	7,815	1,946	13,665	0	272	1,744	3.152	22.537	1	1	Percent 15.2	1.
29/32 trich	Bales	07.0	10,370	153	28,272	1,193	42,417	3,956	10,211	355	27.70	268	00	98,515	8	23.980		118,955			Q	1,429	45,186	10,71	101 749		Q	1,009	15.024	6,017	42,389			2,532	2,655		200	1,580	554	2,660	01	127	639	1,130	4.595		350,388 2,	Percent 3.9	nsus, runni
1/8 Inch	Bales	*	1,474	18	2,687	140	1,691	252	410	3 %	3 =	78	2 000	7,060	1.6	2.016		4,632	12.814		0	174	3,340	1,283	7.761		8	239	2,563	1,592	8,045		1 0	1,824	1,928		9 (296	164	525	8	17	151	345	2.137	2000	CT0,04	Percent .3	of the Cer
13/16 inch and shorter	Bales		43	0	144	0	50	8 6	7	0 1	0 -	2 2	1	277		117	134	105	438	Name of the Party	0	01	200	3 2	352		8	01	112	88	372		g	150	150	100000000000000000000000000000000000000	a	' #	q	11	0		07 07	37	217		1,848	Percent	the Bureau of the Census, running bales percent.
Grade		White:		Moto		S.L.M.+.	S. F. W.	Longo o o o o	E; C	0				Total	Light Spotted:		0 0 0	,	Total	Spotted:	G.M	S.M		L.M. o o o o o	Total	Tinged:	G. M. O.			L.M. o o m o o	Total	Tellow Stained:	G.W.	м	Total	Light Gray:	G.M.		S.L.M	Total	Gray:	N. W. S.		Total	He Tow Grade		All grades	All grades	As reported by Less than 0.05

Table 2. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1961-62

Tab	le 2 G	rade and st	aple of upl	and cotton	ginned in	the United Stat	es, during	specifie	d period	s, 1961-6	2	
Grade and	Prior to		10-4-1	N	After	Total	Prior to	September	October	November	After	Total
staple	Sept. 1	September		November	Nov. 30	Crop	Sept. 1				Now . 30	Crop
Grade White:	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	rercent	Percent	Percent
G.N	770	20,379	44,334	3,130	304	68,917	0.1	1.0	0.7	0.1		0.5
S.M	54,207	407,191	956,868	165,957	10,281	1,594,504	7.9	20.4	16.0	5.6	0.4	11.2
М.+	2,257	46,025	66,373	6,897	261 114,890	121,813 4,554,340	28.5	32.0	45.6	29.1	4.4	32.1
3.L.M.+, ,	8,016	27,836	147,261	47,822	9,259	240,194	1.2	1.4	2.5	1.6	.4	1.7
S.L.M	156,851	201,432	956,901	632,189	295,192	2,242,565	22.9	10.1	16.0	21.1	11.3	15.7
L.M.+	5,520 35,757	15,832 62,946	94,336 158,812	46,861	25,175 131,727	187,724 543,151	5.2	3.1	1.6	1.6	5.0	1.3
S.Q.O.+	459	1,385	4,133	3,594	2,720	12,291	.1	.1	.1	.1	.1	.1
8.0.0	2,800	9,489	18,224	19,488	39,031	89,032	.4	.5	.3	.7	1.5	.6
G.O.+	412	1,252	98 1,944	156 2,339	262 9,137	654 15,084	.1	.1		.1	.3	.1
Total	461,495	1,434,732	5,181,252	1,954,551	638,239		67.5	71.8	86.6	65.4	24.4	68.0
Light Spotted:		2,101,102	0,101,101	1,501,001		3,070,203						
0. M	77	808	662	182	110	1,839						
3.M	35,424	95,492	221,791	104,621	23,895	481,223	5.2	4.8	3.7	3.5	.9	3.4
M	100,420	246,061	324,066 153,650	469,609	527,828 522,141	1,6 6 7,984 1,097,136	14.7	12.3	5.4	15.7	20.0	7.7
L.M	8,298	23,102	29,322	70,563	200,871	332,156	1.2	1.2	.5	2.4	7.7	2.3
Total	186,545	499,940	729,491		1,274,845	3,580,338	27.3	25.0	12.2	29.8	48.5	25.1
Spotted:												
G.M	-	21	43	-	35	99	-		¥	-		
S.M	205	676	1,869	3,314	4,098	10,162		*		.1	4.3	1.0
M	769 984	3,551 3,370	6,713 5,396	19,900	112,211	143,144	.1	.2	,1	.7	5.5	1.3
L.M	1,047	1,776	2,470	17,162	98,500	120,955	.2	.1		.6	3.8	.8
Total	3,005	9,394	16,491	71,786	357,837	458,513	.4	.5	.2	2.5	13.8	3.2
Tinged:	-											
G.M	-		200	100	-	-	-	-		-	1153	:
S.M	11	30 37	69	1,539	1,685 36,636	1,868 38,291				.1	1.4	.3
S.L.M	10	54	113	4,353	36,889	41,419			ф	.1	1.4	.3
L.M	CO CO	24	124	2,204	28,440	30,792	-		6	.1	1.1	.2
Total	31	145	306	8,238	103,650	112,370	*	e		.3	4.0	.8
Yellow Stained:												
G.M		-	-	-	-		-	-	geti	-		-
S.M	-			81	267 5,364	267 5,445	-		20	*	.2	
Total		_		81	.5,631	5,712					.2	
Light Gray:	-			01	.5,651	3,712					12	
G.M	30	155	432	123	67	807			9	e	6	
8.M	10,305	19,491	22,831	18,399	14,624	85,650	1.5	1.0	.4	.6	.6	.6
M	17,381 3,689	22,671 2,983	17,091 3,332	25,552 6,405	34,173 28,952	116,868 45,361	2.5	1.1	.3	.9	1.3	.8
Total			43,686	50,479			4.5	2.2	.8	1.7	3.0	1.7
	31,405	45,300	43,000	50,479	77,816	248,686	4.5	2.2	.0	1./	3.0	1./
Gray:			72	20	37	129			9		0	
S.M	266	1,543	1,136	297	501	3,743	4	.1	· ·			
M	1,251	4,768	3,235	1,760	5,709	16,723	.2	.2	.I	.1	.2	.1
S.L.M	609	1,156	1,183	1,231	14,727	18,906	.1	.1			.6	.1
Total	2,126	7,467	5,626	3,308	20,974	39,501	.3	.4	.1	.1	.8	.2
Below Grade	335	1,320	3,604	4,638	138,079	147,976		.1	.1	.2	5.3	1.0
All grades	684,942	1,998,298	5,980,456	2,982,598	2,617,071	1/14,263,365	100.0	100.0	100.0	100.0	100.0	100.0
	-											
Grade index	96.2	98.0	98.4	95.4	87.9	95,7	-	-	120	- 6	-	-
Staple						Marine Co.	237					
(inches) 13/16 and shorter	_	22	434	52	1,340	1,848			4		0.1	
7/8	64	1,304	8,689	2,959	27,599	40,615		0.1	0.1	0.1	1.1	0.3
29/32	1,146	10,074	81,427	82,862	374,877	550,386	0.1	.5	1.4	2.8	14.3	3.9
15/16	14,368 67,901	131,247	408,806	506,924 251,387	216,669	2,161,357 1,100,072	9.9	6.6	5.8	17.0	42.1	15.2
1	176,076	192,745	217,577	103,109	272,738	962,245	25.7	9.6	3.6	8.4	8.3	7.7 6.7
1-1/32	300,875	437,353	572,170	409,348	392,920	2,112,666	44.0	21.9	9.6	13.7	15.0	14.8
1-1/16	113,047	659,151	3,022,534	1,257,234	191,483	5,243,449	16.5	33.0	50.7	42.2	7.3	36.8
1-3/32	9,427	265,755 37,880	1,006,102	277,094 71,824	26,973	1,585,351 294,818	1.4	13.3	16.8	9.3	1.0	2.1
1-5/32	68	39,132	139,034	17,374	592	196,200		2.0	2.3	.6		1.4
1-3/16	55	1,950	3,838	556	421	6,820		.1	.1			
1-7/32	46 42	307 686	2,897	1,333	90	2,436 5,102			9	9	0	. 4
							100.0			100.0	700.0	
All staples	584,942	1,998,298	3,900,450	2,962,598	2,017,071	1/14,263,365	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	20.7	22.0	00.0	20.0	00.0	200	11.06					
(32nd inches)	32.7	33.2	33.6	32.9	30.9	32.9	-		.00			-
1/ As reported b	y the bure	au or the Co	cusus, runn	THE Dales.								

As reported by the Bureau of the Census, running bales. Less than 0.05 percent.

Table 3. -- Grade and staple of American-Egyptian cotton ginned by States and United States, 1961-62

	1			Dundunda				-	0.74					
	1-9/32	1-5/16	1-3/8	Producti 1-7/16	1-1/2	1 0/26		1 0/00	1 = /25		ercentage		- 0/16	
Grade	inches	and	and	and		1-9/16	411	1-9/32	1-5/16		1-7/16		1-9/16	444
	and			1-15/32	and	inches	A11	inches	and	and	and	and	inches	A11
	shorter		inches				staples	and			1-15/32		and	staples
-				inches	inches	longer		shorter		inches	inches	inches	longer	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
						A	RIZONA							
1	-		8	89	-	-	97	-	-	0.1	0.6	-	-	0.3
2	_	2	583	3,363	-	-	3,948	_	0.3	4.9	21.6	_		13.9
3	-	2	4,348	8,890	1	-	13,241	-	.3	36.3	57.2	100.0	-	46.7
4	-	18	4,321	2,798	-		7,137	-	2.4	36.2	18.0		_	25.1
5	_	42	1,601	383		/ -	2,026	-	5.5	13.4	2.5	_	_	7.1
6	2	50	464	23	1	-	539	1.6	6.6	3.9	.1	_	_	1.9
7	3	103	341	4		/ -	451	2.3	13.6	2.9	9	_	_	1.6
8	2	135	170	3		A	310	1.6	17.8	1.4	9	- 11		1.1
9	6	96	57	_		- 200	159	4.7	12.7	.5	700			.6
10		310	45	-	_	_	470	89.8	40.8	.4				1.7
			-					03.0	-0.0					1.07
All grades	128	758	11,938	15,553	1	-]	1/28,378	100.0	100.0	100.0	100.0	100.0	-	100.0
						MAN	MEXICO							
1	WHAT I	347				NEW	MEXICO				0.0			0.3
2		-	281	6 974	-		6	-	60	0.7	0.2		-	0.1
3	-				-	-	1,255		-	9.7	28.0		-	19.3
4		3	1,417	2,180		_	3,597	_	-	48.9	62.7	-	-	55.6
5		64	877 289	243	-	200 -	1,123	-	2.9	30.2	7.0	-	-	17.3
6	2	20		71	-	_	424	ee =	61.5	10.0	2.0	~	-	6.5
-			18	5	-	-	45	66.7	19.2	.6	1 0	-	-	.7
		3	5	1	-	-	16	33.3	8.7	.2		-	-	.2
	-		9	-	-	-	12	-	2.9	.3		-	-	.2
9		5	3	1	-	-	9		4.8	.1		-		.1
10		-	1	-	-	-	, 1	-	-			-	-	
All grades	3	104	2,900	3,481	-	- ;	6,488	100.0	100.0	100.0	100.0		-	100.0
							TEXAS							
1	-	_	3	11			14				0.1	-	-	0.1
2	_	-	648	2,719	3	-	3,370	-	-	4.8	24.7	42.9	-	12.8
3	_	28	5,467	6,270	-	_	11,765	_	1.7	40.3	56.9	-		44.7
4	-	39	4,709	1,817	1	-	6,566		2.4	34.7	16.5	14.3	-	25.0
5	-	394	2,123	187	3		2,707	-	24.3	15.6	1.7	42.8		10.3
6	3	337	413	7	*cm	-	760	5.3	20.8	3.0	.1	~	-	2.9
7	3	371	136	3	-	-	513	5.3	22.9	1.0		-	_	2.0
8		194	48	-	-		257	26.3	12.0	.4	_	-	94	1.0
9		119	13	1			140	12.3	7.4	.1	9	-	-	.5
10	29	137	19	-	-	-	185	50.8	8.5	.1		-		.7
All grades	57	1,619	13,579	11,015	7	-	1/26,277	100.0	100.0	100.0	100.0	100.0		100.0
														- 6 6
				6 12		UNIT	ED STATES							
1		000	11	106	-	-	117		-	*	0.4	-		0.2
2		2	1,512	7,056	3	-	8,573	en	0.1	5.3	23.5	37.5	-	14.0
3		30	11,232	17,340	1	-	28,603	069	1.2	39.6	57.7	12.5	Ć10	46.9
4		60	9,907	4,858	1	ь	14,826	-	2.4	34.9	16.2	12.5		24.2
5		500	4,013	641	3	-	5,157	-	20.1	14.1	2.1	37.5	600	8.4
6		407	895	35	œ	-	1,344	3.7	16.4	3.1	.1		40	2.2
7		483	482	8	-	-	980	3.7	19.5	1.7		-	-	1.6
8		332	227	3	200	-	579	9.0	13.4	.8	0	-	-	.9
9		220	73	2	-	Call	308	6.9	8.9	.3	0	00	cs	.5
10	144	447	65	60			656	76.7	18.0	.2	tel .	-	-	1.1
All grades	188	2,481	28,417	30,049	8	- :	/61,143	100.0	100.0	100.0	100.0	100.0		100.0
1/ . 60 monorto														

^{1/} As reported by the Bureau of the Census, running bales.
Less than 0.05 percent.

Table 4. -- Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1961-62

			Ginr	nings		
Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales
1	-	2	56	26	33	117
2	-	46	3,840	3,689	998	8,573
3	100	45	6,055	16,980	5,523	28,603
4		25	1,099	6,710	6,992	14,826
5	-	11	220	1,253	3,673	5,157
6	-	10	12	156	1,166	1,344
7	and the same	10	8	70	892	980
8	-	-	-	39	540	579
9	-	1	-	13	294	308
10	600		3	37	616	656
All grades	-	150	11,293	28,973	20,727	1/ 61,143
Staple (inches)						
1-9/32 and shorter	-	4	3	3	182	188
1-5/16 and 1-11/32	-	2	10	43	2,426	2,481
1-3/8 and 1-13/32	-	126	2,744	12,612	12,935	28,417
1-7/16 and 1-15/32	-	22	8,533	16,310	5,184	30,049
1-1/2 and $1-17/32$	-		3	5	-	8
1-9/16 and longer	Table Ta	84	-	on	_	-
All staples	-	150	11,293	28,973	20,727	1/61,143
Grade	Percent	Percent	Percent	Percent	Percent	Percent
1	-	1.3	0.5	0.1	0.2	0.2
2	1.45 - 57 64	30.6	34.0	12.7	4.8	14.0
3	-	30.0	53.7	58.8	26.6	46.9
4	-	16.7	9.7	23.2	33.8	24.2
5	-	7.3	1.9	4.3	17.7	8.4
6		6.7	.1	.5	5.6	2.2
7		6.7	.1	.2	4.3	1.6
8	17	-		1	2.6	.9
9	**	.7	- Stanylas	*	1.4	.5
10		100.0	100.0	100.0	100.0	1.1
		100.0	100.0	100.0	100.0	100.0
Staple (inches)						
1-9/32 and shorter	-	-	*	•	0.9	0.3
1-5/16 and 1-11/32	-	1.3	0.1	0.1	11.7	4.1
1-3/8 and 1-13/32		84.0	24.3	43.5	62.4	46.5
1-7/16 and 1-15/32	-	14.7	75.6	56.4	25.0	49.1
1-1/2 and 1-17/32	1	-	*	*	86	
1-9/16 and longer	600	100.0	100.0	700.0	100.0	700.0
All staples	-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

Table 5. == Grade index and average staple of upland cotton ginned in the United States, by States, crops of 1958-61

04.4		Grade i	ndex 1/			Average s	staple 2/	
State	1958	1959	1960	1961	1958	1959	1960	1961
	Index	Index	Index	Index	32d inches	32d inches	32d inches	32d inches
Alabama	98.1	96.3	95.9	95.6	33.5	33.2	33.3	33.4
Arizona	98.2	96.9	97.3	97.1	33.6	33.8	34.0	33.7
Arkansas	95.3	95.1	94.2	94.8	33.8	33.7	33.7	34.1
California	98.8	98.4	97.2	98.3	33.8	33.9	34.1	34.1
Florida	97.0	94.0	92.0	88.5	33.1	32.8	32.9	32.5
Georgia	98.9	94.6	95.3	95.2	33.2	33.0	33.3	32.9
Illinois	92.9	90.2	94.3	83.8	33.9	33.7	33.7	33.3
Kentucky	96.0	96.9	95.4	91.5	33.5	33.7	33.7	33.6
Louisiana	93.4	96.1	95.0	94.8	33.5	33.7	33.5	33.8
Mississippi	95.4	95.7	94.8	95.5	33.9	33.9	33.5	34.0
Missouri	95.0	94.2	93.9	94.3	33.7	33.6	33.8	33.9
Nevada	-	98.9	99.7	98.2	-	35.7	35.7	36.7
New Mexico	97.2	101.0	99.9	99.3	35.0	35.2	35.7	35.2
North Carolina	97.0	89.5	94.8	96.8	33.3	32.6	33.5	33.7
Oklahoma	96.9	93.0	92.6	91.2	30.9	30.5	31.0	31.1
South Carolina	97.1	92.4	96.6	96.7	33.3	33.1	33.7	33.3
Tennessee	97.9	97.5	96.0	95.5	33.6	33.6	33.5	33.8
Texas	95.9	95.6	94.8	95.2	31.4	31.2	31.3	31.1
Virginia	94.0	89.2	92.3	94.1	33.9	32.9	34.0	34.1
United States	96.7	95.8	95.4	95.7	32.8	32.8	32.9	32.9

^{2/} Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of 15/16 inch staple. Converted to an index with Middling White equaling 100.

^{2/} Averages calculated on numerical equivalents of the staple designations (for example, 29/32"=29).

Table 6. -- Preparation, grade reduction, and wasty upland cotton ginned in the United States, by States, 1961-62

		Prepa	aration			
State		Rough Pro	eparation	m /	Grade Reductions	Wasty
	Normal	Prep. 3 and 4	Gin Cut	Total	1/	2/
	Bales	Bales	Bales	Bales	Bales	Bales
Alabama	618,920	1,676	-	620,596	15,720	117
Arizona	795,060	443	-	795,503	48,915	37,232
Arkansas	1,458,673	1,531	an	1,460,204	13,553	634
California	1,708,908	564	-	1,709,472	37,184	2,804
Florida	9,414	26	-	9,440	136	-
Georgia	511,070	779	-	511,849	18,793	-
Illinois	379	-	-	379	-	-
Kentucky	3,839		-	3,839	-	-
Louisiana	475,135	245	-	475,380	19,894	48
Mississippi	1,606,477	4,175	-	1,610,652	17,967	114
Missouri	385,744	515	-	386,259	1,005	749
Nevada	6,003	-	-	6,003	271	286
New Mexico	269,922	461	-	270,383	1,906	22,632
North Carolina	288,287	1,357	**	289,644	12,721	-
Oklahoma	364,484	1,866	11	366,361	12,349	10,912
South Carolina	413,780	539	-	414,319	11,030	
Tennessee	550,124	186	-	550,310	2,304	191
Texas	4,764,816	9,625	53	4,774,494	37,850	330,882
Virginia	8,048	230	-	8,278	8	-
United States	14,239,083	24,218	64	14,263,365	251,606	406,601

^{1/} Cotton reduced in grade for reasons other than preparation.
2/ Cotton that has a weak, irregular, or immature staple.

Table 7. -- Grade reductions, by specified causes, of upland cotton ginned in the United States, by States, 1961-62

					Cause	of Reduction	lon				
State	Grass	Seed	Bark	Motes	Mud	04.1	Dust	Spindle	Stems	Cloth	Total
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Alabama	15,699	1	D .	21	8	1	Q	ij	8	•	15,720
Arizona	11,472	830	36,333	٠	•	10	8	130	8	9	48,915
Arkansas	11,728	10	1,153	4	Ø	200	ê	19	20	93	13,553
California	23,048	216	13,271	11	•	11	1	919	H	1	37,184
Florida	136	è	•	ű	þ	•	1	1	1	9	136
Georgia	18,783	1	10	1	1	0	1	9	٠	8	18,793
Illinois	8	g	9	0.	ø	Q	9	ð	ı	g	1
Kentucky	ĝ	•	•	9	è	q	¥	8	•	g	1
Louislana	19,258	9	626	10	1	ş	٠	٠	•	8	19,894
Masissippi	17,772	56	169	9	¢	9	1	٠	•	ı	17,967
Mssourt	796	1	R	١	9	99	,	88	1	8	1,005
Nevada	ŷ	8	242	¢	0	١	Q	ø	٠	1	172
New Mexico	222	•	1,116	•	1	10	29	529	1	u	1,906
North Carolina	12,691	10	01	10	4	1	8	8	1	1	12,721
Oklahoma	452	•	10,816	1	•	0	1,081	•	1	1	12,349
South Carolina	11,030	9	è	9	9	0	•	٩	1	8	11,030
Tennessee	2,229	9	3	g	1	1	8	EI	8		2,304
Texas	10,684	\$	26,688	0	t3	148	161	10	k	ı	37,850
Virginia	ω	1	ı	Q	1	8	•	1		1	85
United States	156,008	1,158	90,551	123	43	745	1,331	1,453	184	10	251,606

Table 8. -- Tenderability of upland cotton ginned, by States, 1961-62

State	Tenderabl	e <u>1</u> /	Untendera	ble	Total cr	op <u>2</u> /
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Alabama	516,782	83,3	103,814	16.7	620,596	100.0
Arizona	688,454	86.5	107,049	13.5	795,503	100.0
Arkansas	1,245,843	85.3	214,361	14.7	1,460,204	100.0
California California	1,640,410	96.0	69,062	4.0	1,709,472	100.0
Florida	6,132	65.0	3,308	35.0	9,440	100.0
Georgia	436,116	85.2	75,733	14.8	511,849	100.0
Illinois	151	39.8	228	60.2	379	100.0
Kentucky	2,484	64.7	1,355	35.3	3,839	100.0
Louisiana	393,907	82.9	81,473	17.1	475,380	100.0
Mississippi	1,384,520	86.0	226,132	14.0	1,610,652	100.0
Missouri	327,043	84.7	59,216	15.3	386,259	100.0
Nevada	5,664	94.4	339	5.6	6,003	100.0
New Mexico	233,592	86.4	36,791	13.6	270,383	100.0
North Carolina	268,264	92.6	21,380	7.4	289,644	100.0
Oklahoma	186,961	51.0	179,400	49.0	366,361	100.0
South Carolina	385,596	93.1	28,723	6.9	414,319	100.0
Tennessee	434,148	78.9	116,162	21.1	550,310	100.0
Texas	3,491,843	73.1	1,282,651	26.9	4,774,494	100.0
Virginia	7,360	88.9	918	11.1	8,278	100.0
111 States	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0

^{1/} Tenderable with respect to grade and staple in settlement of futures contracts.

Table 9. -- Tenderability of upland cotton ginned in the United States, 1945-61

Year	Tenderabl	e <u>1</u> /	Untendera	ble	Total cro	op <u>2</u> /
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1945	6,256,298	71.0	2,553,087	29.0	8,809,385	100.0
1946	6,527,089	76.7	1,987,803	23.3	8,514,892	100.0
1947	9,197,081	79.6	2,358,849	20.4	11,555,930	100.0
1948	11,719,213	80.4	2,857,601	19.6	14,576,814	100.0
1949	11,791,158	74.1	4,113,544	25.9	15,904,702	100.0
1950	7,234,459	73.5	2,611,224	26.5	9,845,683	100.0
1951	10,793,023	71.8	4,232,480	28.2	15,025,503	100.0
1952	10,982,423	73.9	3,875,742	26.1	14,858,165	100.0
1953	13,691,670	84.2	2,560,929	15.8	16,252,599	100.0
1954	11,506,960	84.8	2,070,033	15.2	13,576,993	100.0
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0

^{1/} Tenderable with respect to grade and staple in settlement of futures contracts.

Commencing with 1961 crop, includes additional qualities made tenderable under

New Orleans interior delivery contract.

^{2/} As reported by the Bureau of the Census, running bales.

^{2/} As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned in Alabama, 1961-62

1		Percent	0.1	17.0	35.3	1.3	4.21	7.2	i -:	2.0	,,	7.1			2.2	ر ا ا	2.2	15.6		8 -	ຳ ເບໍ	1.2		2.5			çi.	ó	10	9000	4	1 *	•		0	4.	m tr	2.0		0	٠. 4.	ı.	9.	1.0	100.0	1	0.3	95.6
All stanles		Bales Per			220,696		70, 794				21 57 1					32.965		96,995		1 000	2,936	7,351	4,471	15,650		68	1,079	3,418	7 161	TOTE	q	000	123		9	2,316	1.683	11.839		9 9	2,243	607	3,386	5,064	620,596 10	Percent 100 0	1	
1-1/4	longer	Bales	•	1 1		0		, ,	,					,	9					9	0 9	4		•				1 1			0				1	1	1 1			ı	Q 0	1			- 1/6	Percent	Percentage rough preparation.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1-7/32 tn	-	Bales	1		1	4			,	9	0 1				•	1 1	9	-		Q 1	8 8	ę		ŧ		1 1	q	1 1			g				0	\$	0 1			٠	¥ 9	1			9	Percent Per	entage rough	Grade index
1-3/16	inches	Hales		. ,	0	,		1	9	ę				ı		۱ ،	9	•		8 1	9 Q	ı		1			0				0	1 (9	ą	0 0			Q	0 9	1	P	5	digital section of the section of th	Percent Pe	Perce	Grade
1-5/32	inches	Bales		on B	18	•	0 0	1 1	•	1		27		Q		1 8	1			0 (1		1	•	1	1				0	1 1			9	0	0 8	0		i	å g	8		ı	27	Percent		
	-	Bales	8	37	462	8 8	י א	0	1	1		1,052		1	1 8	2 6		29		0 1	1 8	8					¢	0			9	1 6	,		Q	0	8 9			0	Q 0	00	ę		1,081	Percent.2	The Cold Control of the Cold Control	
1-3/32	Inches	Bales	2	529	12,994	0 F	132	184	18	39	1 1	30,057		-	1/3	152	,	790		1 0	9		-	6	P	1	6		0		9	0 0			8	B	9 8		And the second s	0	0	*	0	ş	30 ,865	Percent 5.0		
1-1/16	Inches	Bales	579	2,016	133,777	5,381	2,300	7,410	176	1,193	3 2	260,933		9 6	11 430	4,831	1,098	23,562		100	425	487	140	1,360	,	31	8	K 1	137		0	II 0			0	342	21	988		8 7	949	21	119	33	287,132	Percent 46.2	And the Chief of the Party of t	
1-1/32	Tucues	Bales	78	322	68,859	1961	2,848	24,161	337	4,753	425	156,172		1 0	20.559	18,180	6,247	51,537		483	1,899	3,366	1,340	7,088	1	46	457	281	1.412		8	1 1			9	1,477	5,090	5,966		° CYC	618	119	7776	140	223,292	Percent 36.0		
1	Incu	Bales		14	3,415	73	464	010,11	124	4,917	739	26,818		* 500	3,588	8,630	5,161	18,182		86	591	3,008	2,340	6,043		12	503	2,016	3.817		î	9 62	22	Character Company of the Company of	Q	462	604	3,649		8 00	1,020	187	1,420	1,269	61,220	Percent 9.9		
31/32	Tuen	Bales	0 1	6 4	186	1 6	19	1,715	11	1,293	295	3,898		" 8	348	1,051	1,104	2,526		0 0	21	434	492	947	1	1	25	364	927		9	79	79		9	300	327	1,000		1 0	401	142	592	778	10,747	Percent 1.7		
15/16	ruen	Bales	8	0 0	٠	8 0	n I	127	0	131	89	395		•	•	1001	246	357		0 0	8	946	OTT	156	1	1	52	10 496	711			22	22		a	e 8	120	213		9 1	106	83	199	2,704	4,757	Percent .8	running bales.	
29/32	Tich	Bales	1		12	•	1 2	1	1	Ħ	9 11	26		ş	. 0		1	-		1 1	8	9 6	70	47	1	1	8	148	148		0	1 1			9	D 1-	1 0	1.1		0 (34	34	69	870	1,170	Percent .2		
7/8	4	Bales	0	8	0			1	1	9				1		12	•	12			9	4			0	4	6				8	0 3			Q.	3	77	12	Control of the Contro	9 (0	11	11	270	305	Percent	the Bureau of the Census,	
13/16 inch	shorter	Bales	0	0		9		•	9	0	8 11			9	9 0	•	-		1	0	0	1		-		1	1	6 0	-		9	9 0	4		0	0	0	do	Afficial and a second	0 0	0	O CONTROL OF THE PARTY OF THE P		Company of the Compan	-	Percent		percent.
Grade		White:		×	300		L. H. +.	L.M	4.0.0.1		0.0	Total	Light Spotted:			. 7	L.K.	Total	Spotted:	E		S.L.X.		Total	Tinged:	,		L.K.	Total	Yellow Stained:		2 2	Total	Light Gray:			A I I	Total	Gray			· · · · · · · · · · · · · · · · · · ·	Total	Below Grade	All grades	All grades	1/ As reported by	

Table 11. - Grade and staple of upland cotton ginned in Arizona, 1961-62

les	Percent		7.0	17.1	£	7.4.	4 4	C. O.	ر ن م	0 *	10	? .	ú	77.1			3.1	9.5	m m m m	0 0 0	F.O.T		ı.	4.	d.	Ţ:	8.					-	-		. `	ţ (1		9.				-	-	2.6	100.0		0.1
All staples	Bales		5,869	136,129	6,0/3	549,0/3	10,309	3 001	100,0 110 FT	370	5.152	3,42	1,407	601,119		110	24,815	73,558	26,335	151 206	0676707	24	529	3,455	1,894	1,109	160,7		• =	11	41	41	170		72 27	1.576	263	4,768	,	32 25	16	80	213	20,856	1/ 795,503	Percent	ation
1-1/4 inches and	Bales		1		1 (ט מ	25	90			١	1 (88			ω	σ		7 9	24		9	ı			-		• 1		•	-	-		,	0 11	•	1			•	1			96	Percent	Percentage rough preparation
1-7/32 Inches	Bales		1	ı				Ŷ I	1 1	1 1	٠	1 1				•	1					١	ŧ	1	•		•		0 1	1			•				1					-	t	-		Percent	Percentage rou
1-3/16 inches	Bales		11	/FT	١,	14 C	3.5	13	י כ	2 "	,		1	255			1					4		10			10			,	•	1	1		8					9	•	-	1	1	265	Percent	Per
1-5/32 Inches	Bales	1	548	4, /30	4 0	9,546	740	5		9				16,076		١	11	364		408		1	1	•	1		•			1	•	-	1				-				1	1	-	t	16,484	Percent	1
1nches	Bales	-	201	3,322	11 17	305	2 22.4	3,55	3 00	n 1	9	0		24,543		11	411	1,597	2.40	2 102	107/1	•	. 1	12	ដ		25	!		1	1	,	1		1 0	17	1	99			•	-		80	26,744	Percent 3.4	
inches	Bales		230	7,823	007	14,363	2000 6	630,2	419	t i	68	3 "	-	26,898		13	527	1,979	156	3.192		1	38	27	19		156			1	•	1			0 0	វ ជ	1	43			•	-	1	16	30,305	Percent 3.8	
inches	Bales		3,933	96,7/8	242 113	7 001	10, 1	PRR BRR	1,685	34	183	-	36	397,724		99	15,776	47,093	1,029	70.411		24	189	1,675	749	101	2,798			10	10	1	20		18	235	17	1,441		21	8	1	21	213	472,628	Percent 59.4	
inches	Bales		626	21,044	776	2,208	30,42	2,220	55. R	198	986) 1	48	129,394		20	7,498	18,055	3,117	37.220		•	218	1,059	418	707	1,847			11	11	-	22		- ACA (750	31	2,205	Ç	3 #	22	10	53	426	171,167	Percent 21.5	
theh	Bales		- 100	067	· F	121/1	3 344	100	4.649	108	2.983	JE.	665	13,978		•	563	4,350	17,995	32,732		•	19	236	438	070	1,551		11	4	20	10	88			522	184	933			8	30	06	11,069	60,441	Percent 7.6	
1nch	Bales		0	0	I (21	- [7	‡ S	308	000	861	101	532	1,942			9 1	2	3.625	4.477		1	ន	48	114	LED	405			O	i	1	0		۱۶	0	31	20			0	On .	18	5,628	12,529	Percent 1.6	
15/10 theb	Bales		8	9	1 0	ל חל	0 0	24) 8	1 4	65	} "	126	210		1	11	4	541	729		1	1	58	101	1	290	-		0	1	31	31		1 1	30	1	30		9	1 ;	2	20	3,382	4,692	Percent .6	running bales.
tnch	Bales				I C	i n			9 6	1 8	8	,	٠	6		•	•	1	10	0		8	8				-	. (ı	1	1	*		0 1	9		-		9	1			1	18	Percent	Census, runni
1/8 inch	Bales		1			9 1				1		. 1	1	•		1	0	1	1 1				0		10		6			1	1		•		0 0	0	1	8		9	1 3	11	11	114	134	Percent	the
and	Bales		P	0				1 9					1	•		1	1	1		1		8	-	0			-			1	1	-	•			1	-	*			1	1			1	Percent	the Bureau of
Grade	W. Charles	White:				· · · · · · · · · · · · · · · · · · ·				, c. c. c.	S. G.O.	G.O.+.	0.0	Total	Light Spotted:	G.W.			E . E . E . E . E . E . E . E . E . E .	Total	Grottod.	G.M.					Total	Tinged:	× ×	ж.	S.L.M.	L.M	Total	Light Gray:		K	S.L.M	Total	Gray:	S.M.		S.L.M.	Total	Below Grade	All grades	All grades	

Table 12. -- Grade and staple of upland cotton ginned in Arkansas, 1961-62

les	Powort	rercent		10.5	34.8	4.4 E.4	20.8	3.6	5.6	ú,	œ. "	, r:	83 0			4.	2.3	H. 6	4.6				i α	2.1	3.0		ı	. •	۲.	۳. ا	4.			•			ú	όι	?	1:1	1	e "	1.	,2	2.0	100.00		0.1	94.8
All staples	Rales		375	152,720	504,406	63,468	303,871	52,851	81,782	2,353	12,275	1.482	1 223 202		160	6,157	32,966	45,368	137,795		21	343	2,001	30,267	44,479		1	201	1,733	4,890	6,844			28	28	ŭ	2,946	8,409	160.00	10,337	ı	118	1,173	2,488	28,831	1,460,204	Percent 100.0	ion	
1-1/4 inches and	Rales	DALES	,	B	1 0	íı	•		•	ı	đ	, ,				ı	•					8	0 1				B	, ,	,	-	1			-	•		1	9					1	-	•	- 1/	Percent	Percentage rough preparation	0
1-7/32 inches	Rales	COTO	•		! !		0	- R	1	1	1				•		1	9			í	g		•	'		•	1 1	٠		•			1	•		1 8	r			0	1 0	1	1	'		Percent	centage r	Grade index
1-3/16 inches	Rales	20707	8		' 8	11	10	ı	1		1		41		٠	ı		1 1			٠	ı		1	•		0	9 0	,	1	-		4	•	2		9	0			ı		1	1	9	41	Percent	Per	Gra Ave
1-5/32 inches	Bales	TOTOT	1	105	342	4	184	ß	21		1,	٠.	796		٠	0	, ;	7 T	8		,		. ,		i		•	0 - 9	•	•	-		1	•		1	•	0 1			•	1 1	-	1	1	836	Percent .1		
1-1/8 inches	Bales		10	2,754	13,090	2,694	7,998	1,362	744	1 5	4		30.317			20	Ri	5 5	270					1	ľ		8 1		8			•			1		9	8			ı	0 0	1	-	2	30,587	Percent 2.1		
1-3/32 inches	Bales		123	22,603	190,866	25,740	94,464	16,079	13,310	9 6	88/	h i	424.058			993	4,448	448	8,677		1 9	9 2	154	41	266		1 i	9	10	-	10				0		389	297	314	01.	8	27	1	42	1	433,769		1	
1-1/16 inches	Bales		210					32,403	40,249	1,250	3,027	308			17	4,172	20,605	8.700	53,463		21	176	2,364	2,209	5,894		8 (20 -	103	98	209	9	ŧ	•		F	1,896	2,555	17 CEL	01460	0 (89	112	442	233	743,085	Percent 50.9		
1-1/32 inches	Bales		32	050,0	16,513	1,358	21,400	2,779	23,186	385	2010	684	78.909		30	968	7,085	28.743	55,265		. 1	1/	6.561	13,002	20,261		9 (8	876		1,901	,	1		-	32	594	4,607	7 810	01017		568	444	1,012	1,870	167,028	Percent 11.4		
1 inch	Bales		" 5	25. 25. 5.6.	1,125		1,378	116	4,034	55	2,510	379	10.191		49	27		13,702	18,206		0 6	8 1	2.634		14,740		0 1	55	089	2,452	3,187		ŧ	28	28		19	931	2 638		0 (346	427	781	12,543	62,314	Percent 4.3		
31/32 Inch	Bales		1 8	א כי מי	204	20	30	39	163	, arc	0/2	88	871		9	9 9	2 2	1,311	1,536		8	. 1	196	2,547	2,743			0	84	1,018	1,111	9	٠		•			163	182			21	167	188	7,909	14,540	Percent 1.0		
15/16 inch	Bales		• ;	4 0	116		51	ខ្ល	62	1 1	1 1	22	316		•	500	2 6	2000	318			10	31	513	523		9 8	10	1 0	404	414	1	1			,	1	1 6	27		٠		23	23	5,677	7,322	Percent .5	ng bales.	
29/32 inch	Bales		1	1 1	11	9	ı	1 (9	8 1		•	21		1	4 0	9		10		4	\$ 6		22	22		9 B	77	1		12	٠	١	•	,		8	, ,			4	1 1	2	-	438		Percent	sus, runni	
7/8 1nch	Bales				00		ı	ı			0 i		89			10	9		101		٠	0 1		٠			0 0		1			0	0	1		0	9	9 0			8	1 1	•	-	161		Percent	of the Cen	
13/16 inch and shorter	Bales		•	1	1		1	ŧ		1 1		•			9			1			þ	9 1			•		1 1	0	•	9		0	61	•		8	1	0 8			•		-	-	-		Percent	the Bureau of the Census, running bales	percent.
Grade		White:			*	S.L.K.+.		E.B.+				6.0.	Total	Light Spotted:	G.M.		A T. M.	L. H	Total	Spotted:			S.L.M.	L.X	Total	Tinged:		K	S.E.E.		Total	G.M			Total	Light Gray:			Total	Grayı				Total	Below Grade	All grades	All grades	1/ As reported by the Bure	

Table 13. - Grade and staple of upland cotton ginned in California, 1961-62

80	Percent	(0 C	*	65.2	9.	16.9	'n	2.4	•	ໝໍ	•	.1	95.0		•	ທຸ	ທຸ	ល់ ៤		0.5					г.	-:		1	1	0 4				1.1	1.2		2.6			۲.		e,	si	100.0			- BO
All staples	Bales	000	4,039	461	1,113,724	9,529	288,468	5,149	40,320	169	9,362	33	2,161	1,622,814		6	8,150	9,013	7,787	197,0	33,083	u c	بر در کر	100	507	806	1.991	· II	1	1	4 c	3 9	40	153	18,756	20,888	2,890	45,693	OF.	337	1,416	814	2,597	3,240	1.709.472	Percent	100.0	tion
1-1/4 Inches and	Bales		. (9	9	8	ı	,	,	•	1	1	9		•		ı	a * (d	, ,	1 1	,			,	ş	r		,	î	1	ı		-	,	B B	•		,	,	/1 -	Percent		Percentage rough preparation
1-7/32 Inches	Bales		1 1	1	9	1	١	ı	ø	1	¥	8	1			9	1	ı					•	B 0	9 8	•	1		ą	9	9	4 4		,	4					1	1	-	,	1	1	Percent	1	Percentage rou
1-3/16 inches	Bales		1 6	1 1	1		9			•	•			•		ı	1	0			-			9 8	1 8	1	,		,	8	ê	d 0		ş	0		-	1	1		8	ı	ą	e		Percent	•	Per
1-5/32 1nches	Bales		9 65)	4	ш	00	9	g	1	8	0	1	141		0	1	g			-		0 (•			g	•	•	. 1		1	1	1	1	-			٠		-		141	Percent	-	
1-1/8 inches	Bales	C U	840	} "	654	148	326	29	28	a	18		-	2,302		ı	1	ı			-		• 1		1 1	1	,		٠	1	N F	9		a	1	တ	1	8	1		1	1	1	1	2,310	Percent	1.	
1-3/32 inches	Bales	0 416	50 870	180	276,607	3,113	47,040	989	1,943	Q	18	1	•	391,823		•	50	186	7 8	100	233		6 1	9 0		•	,		٠	9	()		,		159	127	CT	301		62	ě	1	62		392,421	Percent	23.0	
1-1/16 inches	Bales	190	A5 A97	252	820,453	6,143	213,878	3,407	19,707	8	955	1	110	1,152,760		6	3,913	4,232	107	2010	9,/91		1 06	142	51	49	281		,	9				138	10,249	10,451		21,396	OL.	132	428	21	591	41	1,184,860	Percent	69.3	
1-1/32 inches	Bales	Q	7.437	20	15,397	109	24,987	928	16,047	462	6,145	10	1,226	66,836			3,656	3,216	7,34/	22 744	11,/44		1 00	126	314	246	708		1	1	10		100	15	6,953	8,584	4,320	20,478	200	92	839	618	1,569	566	101,911		6.0	
Inch	Bales	c	1 P) 1	512	.00	2,187	139	2,232	120	1,716	ឧ	726	7,889		8	485	1,283	3,494	0 273	0,2/1	C.	000	126	118	537	855			1	42	2 2	4	•	1,347	1,595	188	3,339		51	141	175	367	1,395	22,160	Percent	1.3	
31/32 inch	Bales		g 9	•	24	ú	4	1	303	8	401	1	8	868			4	90	1.318	2000	2,300		9 1	32 C	16	45	96	120000000000000000000000000000000000000	,	•	1			٠	84	84		132			00	'	8	545	3,955	Percent	.2	
15/10 tnch	Bales		6 9	•	9			0	45	80	109	1	6	171			53	+ (584	2	/30		ŧ i	71	00	26	51		1	•		9 1	,	 •	9	15	•	15		1 0	1	-	•	612	1,585			
29/32 Inch	Bales		8 8	٠	ş	•	9	9	15		0	•	1	15		9		B	٠ .				1 (ı		•	٠			1	1			٠	1	24	-	24			1	-		81	120	Percent	•	Census, running bales
	Bales			OV	P	•	8	8	0	9	8	•	1	6		1	1	•	9 1				9 () ć			-			9	1		8	9	0	•		•	-		ı	0		1	6	Percent	•	of the
and	Bales		1	1	•	1	1	0	8	8	9	9	-			•	0		. 1		1		1 1	1	1	•	,			0	ı	9 8	1	1	0	1		1		1 0	1			•		Percent		the Bureau
Grade	Dot to.	mire:	, i	×.+.	ж	S.L.M.+	S.L.M.	L.M.+	L.M	S.G.O.+.	S.G.O	4.0.4	G.O.	Total	Light Spotted:				F 12 12 12 12 12 12 12 12 12 12 12 12 12	5	TRACT	Spotted:			Ø. L. M.	L.M.	Total	Tinged:	G.M.		A T W	E E	Total	G.M	S.M		D.L.R	Tota1	Gray:	× × ×		S.L.M	Total	Below Grade	All grades		All grades	/ As reported by the Bure

Table 14. - Grade and staple of upland cotton ginned in Florida, 1961-62

aples	Percent	0.1	1.2	1.	10.8	т.	11.7	1.6	23.3	ໜຸ	11.2	0	2.2	62.8		0			10.1	5.0	27.8		g	9	i.	i oʻ	6.		ð	יין ני	7.0.1	5.6			s, c		1	1.0	100.0		
All staples	Bales	100	116	6	1,017	80	1,109	150	2,208	1	1,058	0	209	5,936		1	147	1,048	828	474	2,627		0	1 (מי מי	1 Fo	81		9	143	25 R	230		*	16	45 6	13	g	1/ 9,440	Percent	0.001
inches and	Bales		,	0	0	q	8	Ŷ	9	9	9		•	1			8.	q	9	-	ı		0	¥		1 6			0	Đ	e ø	t		ø	ij	1 1	,			Percent	
Inches	Bales	•	9	,	1	•	9	*	g	0	9	P	•			1	0	0	0	•	•		9	9	9 1	1	٠		0	8	0 0	•		g		D 0				Percent	
inches	Bales	9	•		•	0	•	0	0	Q	đ	ı	•	•			1	4	0		•		9	•	\$ 1	1 1			Q	0	1 1			1	0	8 E		,		Percent	
inches	Bales	9	9	•	•	1	•	9	0	0	9	•	•	•		1	1	1	ı		•		9	g	ŋ i	1			g	·	0 8			8	0	g 8			•	Percent	
Inches	Bales	•	•		•	8	1		0	B	•	9	•	1		•	•	0		•			9	9	d 1				0	8	1 1			g	0	e #	-		-	Percent	•
Inches	Bales	٠	•	9	18	1	1	1	9	0	0	1	•	18		1	9	9	0	•			q	¥	0 1		•		Q	g	8 0	•		0	g	1 1			18	Percent	7.
inches	Bales	-	51	0	2	0	197	œ	44	27	8	•	•	822		•	*	8	18	1	146		6	ı	16 1	•	1		Q	g	. 1	,		0	9				896	Percent	TO:07
inches	Bales	,	88	8	460	80	656	106	820	29	583	9 (30	2,493		9	104	280	383	56	1,093		8		ù f				0	118	115	247		0 0	10	¥ 6	16		3,849	Percent	40.0
tnch	Bales	8	0	0	69	9 (208	36	1,183	0 (455	0 (36	1,990			o	355	484	264	1,112		9	1 0	D Y	18	4		9 (2 2	7 99 99	211		Q	8 4	17	B	17	3,425	Percent	30.0
1nch	Bales		0		0	0 9	8		112	8	227	a	2	462		8		19	40	125	208		9	đ	4 (17	17		9 (ຄຸ	5 I	24		8	' [18	75	30	816	Percent	0
12/10	Bales		٠	0	1	g	0	9 (19	•	27	9	8	141		0	•	1 1	o (39	48		8	0	9 8	22	22		q	0 0	19	48		0	1 0	10	29	37	325	Percent	t. 0
fnch	Bales	•	١	ı	9	0	Đ	0	9	8 (10	8	1	10		8			1 6	202	20		g	0	6 (•	1		0	6	9 6	•		G	\$	5 11		6	39	Percent	
1,0 fnch	Bales	Q.	•	1	0	0	q	0	0	9	0	8	•	•				0	9	-			6	9	6 6		,		g	0	0 0	1		0	9	9 B			1	Percent	4.0
andshorter	Bales		1		9	9	9	0	0	9	9	9	•	•		0	1	0	g		•		g	9	9 9	٠	•		0	9	0 0			0	0 1				1	Percent	the Bear
		•	•		•	•	0 = 0	0 0	0 0	0	•	•	0 0		ted:	0	•	0	0	•			•	•						0 0	• • •			0 0	9 0			de			As monouthod has
Grade	thi to	G.M	S. M.	M.+.		6 - L. A. +.	Z.L.R.		L. 76	4.0.0.4				Total	Light Spotted	G. M.	S.K		Z.L. H.		Total	Spotted:			S.L.M.	L.X.	Total	Light Gray	. X X			Total	Gray:			SLE	Total	Below Grade	All grades	All orades	

Table 15. -- Grade and staple of upland cotton ginned in Georgia, 1961-62

les	Percent		5.2	7.	36.8	8.2	5.81 4.1	1.1	. 4	1,3		1,2	75.2		1.4	0.8	ر ا ا	1.9	16.8		. 7	i	က္	m;	6.		*		년 년	.2		4	g 46			\$	1.9	0.6	5.5		1.	۲.	1.0	4.	100.0		95.2
All staples	Bales	143	26.732	3,837	187,968	14,407	5/6,88	S. C. C.	812	6,618	04	943	384,386	-	7.206	40,849	28,035	9,/38	85,839	,	370	892	1,715	1,687	4,773	•	19	57	381	1,055		•	' la	57		•	9,802	3,136	28,341	9	(S)	3,380	5,092	2,259	51	Percent 100.0	1 on
1-1/4 Inches and	Bales	ı			9		9 9			1		•				1	•	'		,	, ,	ı	í		•		ı	1				1					ı	, ,	,		1 6	r				Percent	Percentage rough preparation.
1-7/32 inches	Bales	•		1	1	0	1 1			ŧ	ş		-		1 1	1	1	•			1	٠	•	•		•		٠	, ,			•	1 6			ı	9				1 1		1			Percent	centage ro
1-3/16 Inches	Bales		1 60		10	1	2 11			0	ŷ	-	18		1 4	1	ŧ	•	9				۰	•	-		1	٠				8	1 1			•									18	Percent	Per
1-5/32 inches	Bales		52	21	8	19	C '		1	8	ı	•	370			1	۰	1	•			•	f	1	1	•	,	•				1				•			5				1 6	1	370	Percent	
1-1/8 fnches	Bales		224	120	2,119	200	482	" (g	9 01		1	-	3,078		00	88	52	1	148			•	1 (6	6	1	1	•				1				٠	•		1		' '	•			3,235	Percent .6	
1-3/32 inches	Bales	17	2,585	425	16,276	2,091	129	186		6	Q	-	24,309		276	1,017	197	77	1,52/	•	0	5	6	-	55	,	1	6	1 1	6		8		,			40		112		1	•	,		26,032	Percent 5.1	
1-1/16 inches	Bales	6	11,466	1,947	62,274	5,415	1,818	4.867	259	860	1	59	105,641	-	2.240	6,535	3,166	079	12,768	,	171	333	296	198	1,059	9	19	6	38	122		1	1 1	1		1.	565	g 86	1,518		19	8 9	88	6	121,205	Percent 23.7	
1-1/32 inches	Bales	40	757.6	1,076	71,446	4,577	3.262	14.982	317	1,961	23	225	150,803		2.424	15,758	10,157	2,700	31,045	•	159	357	745	771	2,032	1	•	39	258 290	587		ı	. EI	13		•	3,266	361	8,207		131	577	749	233	193,669	Percent 37.8	
1 Inch	Bales	OL.	2,283	248	29,551	1,619	1.336	11,556	151	2,095	00	311	75,792		1.704	11,454	8,493	2,931	24,582		30	135	384	477	1,035		1	9	207	278		•	. 4	44		1	3,678	989	9,417		274	819	1,235	969	113,079	Percent 22.1	
31/32 inch	Bales		313	9	5,292	418	244	4.046	36	948	1	142	18,775		475	4,542	3,632	1,441	10,090			8	8	118	230	1	•	٠	21	35		E		•		1	1,697	634	5,105	C.	137	686	928	536	35,729	Percent 7.0	
15/16 inch	Bales		24	٠	999	0 40	1,634	1.524	R	624	1	122	4,964	,	0,0	1,272	1,788	1,633	4,372			11	3 1	R	106	•	٠		24	24		•	1 1				498	881	3,139		69	903	1,435	407	14,447	Percent 2.8	
29/32 1nch	Bales	g	, ,		8	m g	1	104	80	8	1	41	457		1 1	175	64 6	8/4	1,102		1	270	157	19	227	1	•	1	1 1			1	1 1			•	38	366	631		18	226	400	243	3,060		sus, runni
7/8 Inch	Bales	•		9	O	1 00	0 00	2 6	1	28	1	\$	179			80	101	8	197				1			٠	1	•				ı	1 1			•	# E	110	212		1 (2)	100	247	116	951	Percent .2	of the Cen
and shorter	Bales		5 0	1		8	I 0		1	1	1	-	-			9	9 0	י מ				1		-	,	•	,0	9				•				1	•	1 1	٠			0 0	27	19	54	Percent	the Bureau
Grade		faite:	S.K.	m.+.		. L. M. +	L.K.+		8.0.0.+	8.0.0.	G.O.+.	G.0.	Total	Light Spotted:		M			Total	Spotted:		346	S.L.H.	L.K	Total	Tinged:	M. M.		ы м ы ж		Tellow Stained:	G.M	100 M	Total	Light Gray:	G.M		i i	Total	Gray:	S. W.		Total	Below Grade	All grades	11 grades	1/ As reported by the Bureau of the Census, running bales Less than 0.05 percent.

Table 16. -- Grade and staple of upland cotton ginned in Illinois, 1961-62

ples	Percent		IO.	1	12.4	6.9	3.2	3.2	1	í	3.2	ı	1	34.4		ı	3.2	5.0	14.5	23.5			•		0.00	29.4	100	17.71	0.001			83.8
All staples	Bales	•	21	1	47	26	77	12	0	1	21	,	•	130		1	27.	22	, IC	68		1	•	1	K E	112	40	7	1/ 379	Percent	100.0	Lon
1-1/4 inches and	Bales	ı	0	•	1	,	ı	1	0	1	ı	ı	•			1	ı	ů	1 1			•	0	0	¥ (,			•	Percent	ı	Percentage rough preparation.
1-7/32 inches	Bales	q	ì	1	ı	à	ı	ŧ	ê	1	1	1	-			ı	1	1	, ,	1		ı	1	1	, (1			-	Percent	1	Percentage rough Grade index
1-3/16 inches	Bales	•	ŧ	ì	1	1	•	1	•	ů	1	1	1	1		ı	ı	•	1 1	1		0	١	1	1 1				1	Percent		Per
1-5/32 inches	Bales	1	ŧ	1	8	٠	4	•	•	,	1	ŧ	•	1		1	1	¥				1	ı	1	9 8	,			-	Percent	•	
1-1/8 1nches	Bales	•	1	1	9	,		1	•	4	1	1	-			1	ý	è		4		ŧ	1	ı	1 1		,		•	Percent	•	
1-3/32 inches	Bales	i	1	ł	12	E	1	1	1	1	12	\$		37		•	ě	r	î î			ţ	ı	ı	si s		,		37	Percent	9.8	
1-1/16 inches	Bales	1	ಭ	1	89	EI	12	12	ı	1	1	ı	-	g		1	77	22	1 00	3		1	1	ı ç	ጋ 1	13	1		148	Percent	39.0	
1-1/32 inches	Bales	1	•	ı	ı	9	ı	q	ŧ	,	ı	*	1	•		9	1	9	37	37		1	1	1 0	기 용	99	1		42	Percent	25.6	
1 inch	Bales	1	1	1	•	ı	ŧ	•	ı		,	ŧ		,		1	ê	1 1	9	10		1	0	1	' 분	31	48		88	Percent	23.5	
31/32 1nch	Bales		,	ı		¥		•	1	ă		1		١		ŧ	ş	1 1		1		í	ŧ	•	1 1	,	1		•	Percent	•	
15/16 tnch	Bales	1		•	•			ğ.	1	-	1	9		1		ı	1	f i				ŧ	ł	•	נט ו	æ	1				2.1	ng bales.
29/32 inch	Bales	1	1	ı	1	ę		1	\$	1	ı	ŧ	1	1		9	1	1 1		1		¥	1) i	1	,	1			Percent		isus, runni
	Bales		1		1	1	1	•	ı	1	0		•	1		•	1	1 1	,	1		1	9	¥ 1	. 1	1	1			Fercent	-	of the Cer
and	Bales		1	1	1		í	1	•	I	1		-	-		1	9	9 8	1	•		1	1	9 9					1	Percent	1	the Bureau
Grade	lhite:	G.H						L.A.+						Total	Light Spotted:			ス.L. 選.	L.M	Total	Spotted:			· · · · · · · · · · · · · · · · · · ·	L.M.	Total	Below Grade		ALL grades		l	1/ As reported by the Bureau of the Census, running bales.

Table 17. -- Grade and staple of upland cotton ginned in Kentucky, 1961-62

Ail staples	Bales Fercent	1	579 15.1		1.3		20 .5	80 2.1	1	0 1	9 9	58 58.8					146 3.8	559 14.6		0 1	m		199 5.2	566 14.8		9	8 ¢	44 1.1	86 2.2	130 3.3		14 .4			14 .4	312 8.1	0.001 98	rcent 100.0
	BB		47	2202	4,14	.4						2,258					-7	67				- (4)		43												17	1/3,839	Percent 100.0
1-1/4 inches and	Bales		٠	0	1 1	1	1	0	1	6 I				i i			•	1		1 1	1 1	g	1	1		1	0 0	1	•			0 6	1			•	ŧ	Percent
1-7/32 inches	Bales		٠	g. I	I 0	Q	0		9			•		0 1	1 8	9	•	•		d (9	g		•		9	6 0	t	-			0			•	1	'	Percent
1-3/16 inches	Bales	9	•			0	•					•			1 #	٠	•			9 1	, ,	8		٠			8 8	R	-	1			1	•	•	,	,	Percent
1-5/32 inches	Bales	9	8			*	٠	8	8	e 1						٠	1	•		f i	1 0	1	•	,				•	1	•		1 9		-	•			Percent
1-1/8 inches	Bales	0	1	1 5	3 '	9	B	ğ	1	1 1	1	10		1 1						0 1	1 1	1	1	•			1 1	•	1	1		9	•	-			10	Percent .3
1-3/32 inches	Bales		164	' &	į .	8		10	•			425		6 11	01	•	-	10		• 1		1	1	8			0 8		1	•		9	G	-		1	435	Percent 11.3
1-1/16 inches	Bales	٠	405	2 8	ន្ត ន	243	50	84				1,720		9	1	122	4	277			8	2	•	127		. 1	1	ú	1	•	1	14	è	1 7 5	74	•	2,138	Percent 55.6
1-1/32 inches	Bales	9	01	۰۶	3 1	31	0	22	g	1 1		103		1 00	R	2	8	220		9 0	18	140	86	303			1 1	4		44), Q	1	•		20	720	Percent 18.8
1 inch	Bales	0	9	0	1 6	•	1		ı	0 (1 1		10	328	45		1 1	in)	2	8	91		1	8 8	1	•	•	(0	•			132	268	Percent 7.0
31/32 inch	Bales	1	Đ	1 (3 8	9	ı	0.	6			4		ı ş		8	2	2		0 8	0	9	32	45		1	9 6	1	8	98	ı	1 8	0	•		103	180	Percent 4.7
15/16 inch	Bales	1	٠	0	B 9	9	¥	9	1	1 1		•		. 9		٠	ın	In .		0 0	1 1	•		4			9 6	9	26	26	1	1 8	Ø			2.2	88	Percent 2.3
29/32 1nch	Bales	ņ			1 1	1	•	Q		0 (•		9 1	1	8	-	1			1 9	9	-	-			9 9	1	•	1	(9	•			1		Percent
7/8 tnch	Bales	0	1	0 1		ø	9	0	1	0 1	.1	•		f 1	6	•	-			1		•	8	•			8 8	4	1		•					ı		Percent -
13/16 inch and shorter	Bales	9	0	6	1 8	1	1		1			'		8 0		•	-	•		8 9		1	1	•		1 (0 9	1	9	1	(0	*					Percent
Grade.			•	•					• • • • • •		• • •	7	otted:					7		• •		•	•	T		•	• 0	•	•	Ħ	ay:	• •	•		1	ade		
Ore		G.M.	S.K.		S.L.H.+	S.L.H.	L.H.+.		+ 0.0	9 0	0.0	Total	Light Spotted:		*	S.L.M.	L.H.	Total	Spotted:		I	S.L.H.	L.M	Total	Tinged:	· ·	× ×	3.L.H.	L.H.	Total	Light Gray:	. H.	M	Total	1	Below Grade.	All grades	All grades .

Table 18. -- Grade and staple of upland cotton ginned in Louisiana, 1961-62

les	Percent		101)	31.0	2.7	20.4	1.6	8.6	Ħ.	8.4	, ,	i i	8.//		O,	, m	g. 6	9.3	12.0			. '	1.	i.	1.0		1				-		- (ا ا ا	20.0	7.7		, ('n	4.	1.2	E.	100.0			0.1
All staples	Bales	C	48.860	5,398	146,764	12,738	96,810	7,720	40,978	263	8,489	1 0220	0/6	309,107	o	4.427	18,361	18,663	15,559	57,019		1	300	390	3,486	5,089		1	6	일!	156	220		72	15,197	9,469	36,855		1 60	2,621	1,919	5,461	1,629	/ 475,380	Percent	100.0	1on
1-1/4 inches and	Bales		1 1	,	•	,	,		f	1	1	•		-				1	1	1			1	1 1				1									1		1	F 1	1			1	Percent	1	Percentage rough preparation
1-7/32 inches	Bales			1	ŧ	1	1	1	1	•				-	•		•	1	,			1		1 1	,			•	,	•	, ,					1	ı					•		1	Percent		Percentage ro
1-3/16 inches	Bales			ı	•	•	ı	,	,	9	•						1	1	•	1				9 1		î		•	,	•				•			e			1	1 1	ı			Percent		Per
1-5/32 inches	Bales		1 9	1	#	1	•	,	1	1	٠	1		TT	٠	. 1	,	1	•	•		1	1) 1				1	1	1					t I	,	1		1	3 (1		11	Percent		
1-1/8 inches	Bales		1 4	X	264	35	168	1	35	1	ı		-	2/5	1	1	10	6	2	19				1 (,	1		1 1			,			-					1		591	Percent		
1-3/32 inches	Bales	94	10.639	1,985	22,244	2,654	10,504	894	1,591	20	96			50,073	٠	150	751	569	8	1,233			•	1 1	32	32		٠	•	1	1 1			9 1	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		533			1 1		ı		52,471	Percent	11.0	
1-1/16 inches	Bales	ç	36.101	3,332	111,061	9,132	74,381	5,699	24,070	192	2,733	101	100 000	200,883	o	2,662	11,224	8,315	2,469	24,679		1 6	S P	158	397	770		•	Ó			6		6	8,345	635	13,085		. 6	380	61	089	32	306,140	Percent	64.5	
1-1/32 inches	Bales		2,063	58	13,055	917	11,675	870	14,779	51	4,173	1017	20 00	48,033	٠	1,583	6,121	9,073	8,912	25,689			222	193	1,017	1,780			•	2 5	17 11	24		8	7 186	6,280	19,745			375	768	2,659	225	98,193	Percent	20.7	
I Inch	Bales		1 01	'	129		82	245	493	1	1,390	1000		2,/4/	•	32	220	972	3,828	5,052			1 0	10434	1,641	2,085		1		ŧ (김 땅	107		1 8	717	2,313	3,241		1 0	100 842	688	1,837	1,105	16,174	Percent		
31/32 inch	Bales			,		9		27	01		72	- 75	100	001	,		22	25	264	314		ı		٥, ١	377	400				• (37	49		•	۱ د	208	218			1 48	170	254	243	1,634			
15/16 Inch	Bales			1	1		1		,	•		١	2 5	O [‡]	,		10	1	ಬ	33			•	1 1	22	22			r	•	<u>.</u> 51	13		9	r I	33	33				31	31	24	166	Percent I		running bales.
29/32 1nch	Bales		1	,	,		•	1.	1		•	•		-	•	. 8	1	•	•	-		•				٠,					1 1			,			,		D	ę e		-	1	1	Percent		sus, runni
1/8 inch	Bales		1 1								•	1		-		•			1	-		1		ŧ 1	•			•						1	9 1	1 1	٠		•	1 1		1	1	1	Percent		of the Cen
and	Bales		8 0	,	1	1			•		1	9		1			,	1	•	-		1				,		•	1	1		-		1	1 1	1.	•		ı			1	1		Percent		the Bureau
Grade		In te:		+ 1		S.L.M.+	S.L.M	L.M.+			8.6.0.		· · · · · · · · · · · · · · · · · · ·	Total	Light Spotted:	E		S.L.M	Г.Ж.	Total	Spotted:		Z.A	20 C M	L. X.	Total	Tinged:	G. M	S.M		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Total	Light Gray:	G. X.		S.L.W.	Total	Gray:		2 3	S.L.M.	Total	Below Grade	All grades		All grades	1/ As reported by the Bureau of the Census,

Table 19. -- Grade and staple of upland cotton ginned in Mississippi, 1961-62

	18 18 18 18 18 18 18 18	1/0:																1
		and and horte	lon L	7/8 inch	29/32 Inch	15/16 1nch	31/32 inch	1 inch	1-1/32 inches	1-1/16 Inches	1-3/32 Inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and	All stap]	88
1	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Bales	201	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		ercent
1	1		0	9	5	6	U	ě	137	880	£43		9	9	,	1	1.460	0
1	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			0	9		45	248	14,567	187,834	81,525	3,098	39	11	•	8	287,367	17.8
1.0 1.0 2.7 2.5	1 10 10 10 10 10 10 10		1	1	•	1 0	9 0	30	2,098	22,087	17,617	1,011	9 6	0 0	8	9	.42,843	2.7
10 10 10 10 10 10 10 10	1		0 0	0 11	9 0	7	J ,	SCC LE	33,030	3/1,333	13 0050	5301	4 0	2 0 (g (ŝ	551, 704	34.5
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		,	0	0	18	22	764	24,614	217,163	56,741	2,136	123			1 0	301,583	18.7
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		1	1	0	0	1	1	1,438	21,057	6,963	133	0	1	9	,	29,591	1.8
	10 10 10 10 10 10 10 10			•	9	1	36	206	15,065	48,667	8,259	204	9	9	Q		72,949	4.3
			0 0	. 0	9 0	¢ 8	, Q	166	502	1,138	9 66	13.	• 1	0 8		1 1	14.581	-i o
100 100			0	Q	1	8		9	1	32	n	1		9		1	51	
1	1.00 1.00		-	8	-	84	278	931	1,728	364	25	1	1	'	1		3,410	.2
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1 1 1 1 1 1 1 1 1 1	- 11				136	442		102,395	908,746	325,123	13,534	533	25	-	-		84.3
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1								6	C E							9	
1	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		9 1	0 6	1 1	9 1	ι α	. 45%	A OBO	50 677	1 69	1 04					139	,
	1				1	1 (0 1	485	8.041	072.72	4.362	80%			. (• 1	13,000	٠ ر ت ر
1	1		0	9		9	37	235	13,614	19,488	2,197	4	1 6		1 0	, ,	35,921	2 6
1	10 10 10 10 10 10 10 10		9	9	9	58	154	-	27,062	12,901	613	•	1	1	ŧ	,	44,279	2.7
1	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,				1	64	199	9	52,878	69,344		596	٠	•	,		136,300	8.4
1																		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 10, 10, 10, 10, 10, 10, 10, 10, 10,			1	1	1	1	1 :	1	4 (1 (ı	1	0	£	9	1	0
			0 (0 1		1 (176	363 FB	₹	Q 1				ı	599	
1 20 70 396 4,599 14,333 3,502 66 66 67 67 67 67 67 6	2 20 70 366 4,599 14,333 3,502 66 67 67 67 67 67 67 6		1				25	314	5.786	1.592	? (X			H 0	, ,	9 6	1,894	નું હ
1	2 20 70 391 4,921 21,090 6,444 213		1		20	R	366	4,529	14,333	3,502	99	1		9	8	ŧ	22,886	1.4
1 1 1 1 1 1 1 1 1 1	12 12 12 12 12 12 12 12		,	•	20	70	391		21,090	6,444	213	ľ	0	•			33,149	2.0
126 126	1	1		b			0	8	9	0						f	9	
1,000 1,00	1					0	1	1 (1 2	1 3	0		í		g		1	0
1,013 1,013 1,522 152	1,000 1,00		1 6				1 0	188	R 50	5 5			9 1		9		126	• *
196 115 1,013 1,522 152	1, 1, 1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 1, 1, 1, 2, 2, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		5 6			86	1 EQ1	816	798	3 4		0 9	0 8	ş 1	, ,		1.855	1 -
	1 2 2 2 2 2 2 2 2 2				,	86	115	1,013		152							2 900	10
10 10 10 10 10 10 10 10	1.00 1.00	li .																
180 180	180 1 1 1 1 1 1 1 1 1			1 1	1			8		9				ē		1		
180 180	180 180		. 6		8			0	6	2 11	i 0	0 9		g 0	8 8	2 #	1 0	. =
180 180	180 180			'			,	•	6	•	,	1	'	8	•		0	•
180 180	1, 1, 1, 1, 1, 1, 1, 1,	li																
S 12 86 1,507 7,563 2,942 140 -	13 13 13 14 15 15 15 15 15 15 15		1 (0 (8 (8 (1 07	1 104	124	1 40	1	8	1		0	180	• (
Solution Percent Per	State Stat				1	0	1 00	262	3.779	2,942	4 6						5,576	i. 4
S 12 94 1,818 12,502 7,769 302 -	1 2 2 3 3 3 3 3 3 3 3		1		8	12	86	1,507	7,563	2,422	20	•			1	1	11,618	
- 12 150 890 5,170 4,321 438 12,101 11,947 89,235 202,063 893,672 334,429 13,830 533 25 - 17,010,652 13	13 329 3,851 9,785 27,099 6,551 5,800 51.70 7,000			1	00	12	94	1,818	12,502	7,769	302	,	,	٠	٠	ı	22,505	1.3
13 369 4,381 11,947 49,235 202,063 993,672 314,29 13,630 20.3 31.8 32.9 3.8	13 369 5,170 4,321 438 1,161 1,161 1,161 - 1,161 -	ł							٢									•
- 12 150 890 5,170 4,321 438 1,161 138	12 150		0 0	0 0	0 0	2 2	1 4	1 1	- 4	18	1 1	e 0	0 0	5 0	, ,		- 8	6
- 12 150 890 5,170 4,321 438 12 150 890 5,170 4,321 438 12,209 - 12 150 921 5,380 5,116 630 12,209 131 329 3,851 9,785 27,099 6,551 587 18 48,388 131 369 4,381 11,947 49,235 202,063 993,672 334,429 13,830 533 25 - 1/1,610,652 19 Percent	12 150		8	9	9	1	31	210	746	174	1	1				1	1,161	۲۰
13 359 3,851 9,785 27,099 6,551 587 18 -	131 329 3,851 9,785 27,099 6,551 587 18 - - - - 48,388		,	-	12	150	890	5,170	4,321	438	1	-	1		1	1	10,981	7.
131 369 4,381 11,947 49,235 202,063 993,672 334,429 13,830 533 25 - 1/1,610,652 18 19 19 19 19 19 19 19	131 369 4,381 11,947 49,235 202,063 993,672 334,429 13,830 533 25 - 1/1,610,652 13,830		0	-	12	150	921	5,380	5,116	630		'	•	-	•		12,209	8.
131 369 4,381 11,947 49,235 202,063 993,672 334,429 13,830 533 25 - 1/1,610,652 1	131 369 4,381 11,947 49,235 202,063 993,672 334,429 13,830 533 25 - 1/1,610,652 1		37	131	329	3,851	9,785	27,099	6,551	587	18	-	1	,	8	1	48,388	3.0
Percent Percen	Percent Percen		37	131	369	4,381	11,947	49,235	202,063	993,672	334,429	13,830	533	25	1	/T -	1,610,652	100.0
of the Census, running bales.	of the Census, running bales.	Ö			Percent	Percent	Percent	Percent	Percent	Percent	Percent		Percent	Percent	Percent	Percent	Percent	
A CALL LAND A LA	Grade Index	ā		f the Cer		ing bales.		1.0	6.31	/- 10	20.02			Pay	a option	and dance	100.0	0

Table 20. -- Grade and staple of upland cotton ginned in Missouri, 1961-62

111 04001	scapies	Bales Percent		7			28.2		(6)		651 .2	118	80			9. 92			"		0 1	24.2			77 3.6		1 1		2. 80	H		1 100		50	77	8	0	312 .1	507		O.E.	
		Ba		42,377	120,038	8 091	109.0	13,886	14,407	(1)	9		312,321			2,2	2,21	10,264	41,877			ν.	3,671	6,3	113,771				3.308	4,069		O	1,553	2	2,984			m	4 6	10,730	1/386.250	
1-1/4	longer	Bales	8	1	•	9 1		•	9	0	•				ı	1		I \$,		ı		•	1	•		1	1						1	-	9	ý	9	, ,	1		Percent
1-7/32	inches	Bales	q	•		8 1	1 4	0	G	6	1	1 (,		9 1		1		0	1 0	1		1			٠	1 1			g	, ,	-	-	1	4	9	1		,	Percent
1-3/16	inches	Bales				' '	0	9	g	0					0	6	0 .				1	1 1	1	1	1	1		ř				B 1			-	0	1	9	,	1		Percent
1-5/32	Inches	Bales	ŧ	•	1 5	1 '	1	Q-	9		B		11		q	8	D 8				1	9 11	٠	-	1	C	•	•	1 1			9 1		1		ı	•	0 1			11	Percent
1-1/8	Inches	Bales	6	472	28 6	120	248	11	11	Q	1		3,085		i	1		•	٠		ı			•	•	q		ı				§ 1			1	ı	•	1 (1	3,085	
1-3/32	inches	Bales	174	17,350	A1 813	2,705	20,122	2,148	801	18	æ	12	86,009		1	134	148	11	020		ı	8 §	•	1	•	9	8	1				1 80	22		03	ę	ı				86,679	Percent
1-1/16	inches	Bales	422	23,367	1,15/ 104. ET	5.214	79,503	10,590	6,536	18 j	145	5 9	200,485		21	1,657	7.179	1,125	17,340		1 (337	425	133	914		1	. [ה י	57		1 P.	526	3	1,122	6	ı	T '	11	6	219,938	Percent
1-1/32	Inches	Bales	•	1,179	3.317	525	8,995	1,126	6,374	122	330	ו רכ	21,522		8	\$ 400 5 000 5 000	8,568	5,149	18,379		" 8	321	1,795	2,027	4,166	0	9	71	171	449		100	886	24/	1,380	1	ě	143	154	297	46,347	Percent
-	Inch	Bales	Q .	On .	1 80	} "	215	11	656	99	143	11	1,169		1	32	1,158	3,587	5,067		ğ	22	1,174	205,6	6,498	6	ŧ	0 44.0	1,797	2,141		0	158	241	388	0	1	158	294	4,339	19,907	Percent
31/32	Inch	Bales	•	i	9 11	•	í	8	29			' ::	40			, 8	3 %	384	463		i		224	1,8/0	2,100	0	i	1 40	1,256	1,342			# # #	777	23	¥	•	1 84	84	5,809	9,835	Percent
15/16	Inch	Bales	•			1	1	8	G		9	, ,			1	. (•	٠			6		8	3	8	8	0		80	88		2 (0		1	276	449	Percent
29/32	inch	Bales				ı	ą	0	S	9			1					8	80				٠	-	•	9	8	0 1		-			i	•	-	9		1 1			ω	Percent
7/8	Inch	Bales	0			1	1	0	8	8	1		•		1		•	,			9		1		1	9	0	0 1	1	ı			1			9		0 0		0		Percent
13/16 inch	shorter	Bales			١٧	1	9	8		1			•		0	9 6	1	4	•		1 (0		-	0	1	9 0	•	-						0	0	Q 0	-			Percent
Grade		thite:		Z. Z			S.L.M.	F.K.+.					Total	Light Spotted:			S.L.E.	L.M	Total	Spotted:		**	. L. H.		Total	Tinged:		E 00	L.M	Total	ight Gray:	S S S	× 0	· · · · · · · · · · · · · · · · · · ·	Total	G.M.		S. L. N.	Total	Below Grade	All grades	

3
1961
Mevada,
#
gluned
cotton
pland
of u
ple
staple
and
Grade
ł
21.
Table

### Grade 13.16 Inch 7/8 29/32 15/16 31/32 15/16 11/6 11	Eales Eales Franchist Fran	1-1/32 1-1/16 1nches 1nc	1-3/32 Inches Bales 98 98 27 27 27 27 27 27 27 27 27 27 27 27 27	1-1/8 inches Bales Bales 1,504 65 134 134 134 1.852	1-5/32 Inches Bales 646 1,927	1-3/16 inches Bales I37	1-7/32 inches Bales	1-1/4 Inches and Ionger Bales	All staples	les
Bales	1 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Bales 98 98 98 98 98 98 98 98 98 98 98 98 98	149 1,504 134 134 1,852	646 1,927 325	Bales 137	Bales	Bales	П	
	1 4 5 0 5 0 9 9 9 9 0 0 0		131 B3 . 7	1,504	046 1,927 325	137	1			Percent
			131 B31 B31 B31 B31 B31 B31 B31 B31 B31	149	046 1,927 325	137	3			
			98 98 ° 72 ° 131 131 131	1,504	1,927	137				
			98 98 57 7 2 7 3 131 131 131 131 131 131 131 131 131	1,504	1,927			0	932	15.5
			88 . 75	1,504	1,927	9	9	0		0
			27. 	1,862	325	407	0	1	3,936	85.6
			27 6 6 1 131 131 131	134	325	3	1	9	116	1.9
			131 B31	1,852	111	210		1	969	11.6
			131	1,852	1 1	8				
			131	1,852						
			131	1,852	9		8			
			131	1,852			0			9
			131	1,852	9	9		0	1	¥
			131	1,852	1	0	0	9	0	0
		0 1 1	131	1,852	1		9	9	12	.2
		# 0	, ,		2,907	796	•	-	5,692	94.8
	•	8 P	9 11							
		0		9	(•				
		,		ĸ		1			ı u	'
			0	, E		י כר	0 1		0 5	
			4	1 [0	3 1		0	74	•
) v	1		8			0,	4.
							8	1	0	7
			12	84	6	10		-	79	1.3
	e	•	9	1	1	1		1	1	
	ę	9	6	1	i	9		1		
		•	g	9	0		1	1	1	•
			-	0		•		1	1	•
		9	-				•		9	
0		9		•	1		•	1	9	.1
	b	- 17	17	138	1	P	ŀ	0	226	3.8
All grades	•	- 29	214	2,038	2,916	908		0	1/ 6,003	100.0
Percent Percent Percent Percent	Percent	Percent Percent		Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	10.	3.6	33.9	48.6	13.4	1	•	100.0	
As reported by the Bureau of the Census, running bales.						Per	Percentage roug	Percentage rough preparation.	1 on	0 0
						a v	Average etanle			3.06

Table 22. -- Grade and staple of upland cotton ginned in New Mexico, 1961-62

Table 23. -- Grade and staple of upland cotton ginned in North Carolina, 1961-62

les	Percent		3°5	.; .;	46.9	20.40	0,0	5.9	r.	â	. 7	85.0		• !	r, i	10 -	· +·	13.9		1	ų, (, ₋	4 11	4.		,	1 =	•	1	-		• (n in	2	9.				-	-	.1	100.0			0.5
All staples	Bales	21	6,239	279	135,605	54.620	2,933	17,043	183	2,241	385	245,796		1 9	4,466	2/6,62	1,197	40,589		1	194	306	116	1,230			1 6	7 '	1	9		0 0	810	38	1,635		¹ F	7 8	41	202	152	1/ 289,644	Percent	100.0	ation
inches and	Bales		9	ı	ű			1	•		, ,				ı		1 1			•	ı	• 1	•	ŧ		B		1 1	-	•				1			ı		1	1		8	Percent	1	Percentage rough preparation
1-1/32 inches	Bales	٠	•	•	1			1	ř	,	• •	-			1					ı			1	•		9		1	1	1		•	8 €	1	•				•	•	8		Percent	•	rcentage r
1-3/16 inches	Bales	6	1	1		1		ı	•	•	1 1	1		4	•	1						1 1	1	1		8			1	1		1	B @	1	•		9		1	•	1	1	Percent	•	Pel
1-5/32 Inches	Bales	à	8	ı	1	. ,		•	1	1	0 8			ŧ	ł	1				•			•	•		•	Q I		-			1	# £	1	i				•	1	-	1	Percent	•	
1-1/8 inches	Bales	•	R	1 9	243	P &	2 1	1	ŧ	1	۱ ۱	436		ı	1 ;	110	n 1	20			•	1	•	1		8	1 1	•	1	1			0 8	1	•		-			1	1	456	Percent	.2	
1-3/32 inches	Bales		711	200	5,100	2,255	88	249	•	On.		8,863		1 0	1010	1,019	y "	1,090			10	n ti	•	6		•	8 1		•	•			' II		11				٠		-	9,973	Percent	3.4	
1-1/16 1nches	Bales	21	5,327	156	87,683	40.897	1.953	8,865	66	1,091	122	155,356		1 8	2,187	10, 61	327	20,641		' !	127	247	6	607		1		•	•	2		- 151	222	11	364		1 5	12	11	44	19	177,073	Percent	61.1	
1-1/32 inches	Bales	8	3,043	5	41,982	570,17	876	7,495	84	1,046	179	79,449		1 0	2,192	2 107	099	17,532		* 1	747	2 6	67	364		0	, 8	!	1	40		6 6	498	17,	1,167		1 6	28	30	138	49	98,739	Percent	34.1	
1 Inch	Bales	8	8	' !	587	276	217	404	1	55	48	1,631		1 (99	263	210	1,239		1	2 2	1 1	10	101		ı	. 1			•		1 %	17	10	හ		l ii	50		20	10	3,064	Percent	1.1	
31/32 fnch	Bales	g	P	1 9	10	י פר) !	,	ı	1		20			1 0	2 ₁ c	h I	19					30	30		i		•	1	•			30		30		۱ ۱		-	-	,	66	Percent		
15/16 inch	Bales	3	ŀ		0	1 [1 II	30	1	1		41			à	1 4	? "	84			1 0	2 6	-	119		ı	1 1		•	-		0 1	1				. 1	1	1	8	6	217			ng bales.
29/32 inch	Bales		8	1				١	1	•				,	ı	ů i				1	t i	1	1	•		ı	1 1	•	•	•		9 (9	•			1 1		1	•	•	٠	Percent		Buluuna , sust
7/9 tnch	Bales	9	1	•		0 1			9	٠					1					٠		۱ ۱	1	•		1	1 1	1	,	-					•		۱ ۱		e	8	23	23	Percent		of the Census,
and and shorter	Bales	õ	1	•	9	1 1		1	•	1				•						1			-	•		i	1 (-	*		0 1			•		1 4	4	1	8	•	'	Percent	1	the Bureau
Grade	Modifies	G.M.	S. M	M.+			L'X'+.	L.M.	S.G.O.+	S.G.O.	+.0.5	Total	Light Spotted:			A	L.M.	Total	Spotted:		· · · · · · · · · · · · · · · · · · ·		L.M.	Total	Tinged:	G.M.		S.L.M.	L.M	Total	Light Gray:			S.L.M.	Total	Gray:	E		S.L.M	Total	Below Grade	All grades		I grades	As reported by

Table 24. -- Grade and staple of upland cotton ginned in Oklahoma, 1961-62

les	Percent		8.0	1.	10° 10	ά	200	4.4	2	ໝໍ		1.	22.3		46	25.1	29.1	7.2	0.99	0	r.	5.6	u r	1:0	6.9		. •	q	1.0	10-	7.7	0	1 1				2.	.2	-	4.		1 8		-		80	100.0		0.5
All staples	Bales		2.980	215	20,642	150° 2 E	4.387	16.241	797	1,687	17	195	81,560	0	16 RRQ	91,917	106,477	20,283	241,575	•	528	9,688	18,587	*CC*C	34,357		19	1,141	2,439	4 407	10161	•	9 (5		629	899	122	1,469			30	6	39	2,945	/ 366,361	Percent	10n
1-1/4 inches and	Bales		H 0	ı	9	10	n e	1 8	Ł	ı		1	6			9	, ()E	3/		8		1	•	-		1 1	Q	. 1			,	ŧ					ı		1				1	-	-	46	Percent	Percentage rough preparation
1-7/32 inches	Bales			1		10	h II		1	1		•	6		0 6	0	¥	-	-		i	1	. 1				0 0	0	9 (٠	9	,	-	0	1	•	-	1		1 1	1		-	1	6	Percent	Percentage ro
1-3/16 inches	Bales			1	1	000	1 0		1	0	•		22			1	6	-	2	•		1	• 1		1		II 9	ü	ù (•	ű		1	,	9	1	1				•	•	-	1	22	Percent	Pe
1-5/32 inches	Bales		0 0	1 9	8 6	177	} *		•	•	•	•	133		3 0	9	19		60		•	1	1 1		1		0 4	¥	1 1				•	•	-	•	i	•	•	-		: 1		-		3	192	Percent	
1-1/8 inches	Bales		29	1 9	849	727	114	8	0	6		•	1,947		30	303	88	1	440		8	1			-		1	9				8	•	1	-		84	10	3	R		9	1			1	2,422	Percent	
1-3/32 inches	Bales		174	8	4,114	2.669	327	299	11	9	•	•	5,927	1	122	562	317		1,000		0	•			1			0	8 8	and the second second			9			٠	115	11	1	126	1		1 0	0 0	6	-	7,063	Percent 1.9	
1-1/16 fnches	Bales		352	21	4,044	3,933	466	858	19	27	•	-	8,797		265	1,818	686	000	3,666		•	21	18	04	000			11	Q 8	11		•	•		•	6	188	166	1	354	i	9 4	1	9			12,452	Percent 3.4	
1-1/32 inches	Bales		4	22	3,9/1	4.069	496	1,277	S S	B		•	10,777	,	1.630	4,552	2,398	607	8,319	٠	•	• (9 00	167	101		, ,	•	12 8	12		•	6	1	1	9	197	236	21	454		1 2	11		11	87	20,827	Percent 5.7	
1 inch	Bales		086	111	212,0	7.451	1,101	3,630	237	823	19		19,549	o	4.342	16,145	12,236	OF 62	33,072	•	31	198	369	1 237	1,52,1			# :	1 2	32		ı			Ŷ	6	8	125	21	206			O		מ	250	56,955	Percent 15.5	
31/32 Inch	Bales		ELL	3 31	2,932	9,372	1,286	6,863	320	746	• (37	23,648		6.407	39,675	49,685	200 200	100,104	٠	106	2,836	1,311	0 520	3,360	í	4	100	4 24	586		•	i			q	65	102	18	185			10	1	3	694	141,650	Percent 38.7	
15/16 inch	Bales	í	, EX	' &	1, 40 80	3,891	544	2,924	149	E 2	25	119	966'6	•	3,637	25,497	36,109	1000	0504/		304	5,351	3.255	10 240	13,649	•	19	868	1,841	3.298		g	10	0		9	1	18	20	08		0 0	1			1,599	109,121	Percent 29.8	ung bales.
29/32 inch	Bales		0	• 0	2 0	7.6	R	310	#	R		19	718		415	2,996	4,404	7200	00716	1	78	1,173	410	3 678	0/0.0			8	1/8	291		,	4				11	0	•	11	,	1	1			204	14,058	Percent 3.8	of the Census, running bales
1/8 theh	Bales	9	0		D III	19	0	•	9	•	0 (28		41	329	272	707	10.	9	0	109	677	438	000		•	28	8 %	171		8	0			0	8	9	-	•	-	0	•			102	1,526	Percent . 4	u of the Co
13/16 inch and shorter	Bales	9		0 1		1			0	1			•	•	1	1	O 1	d			ů	1					•	ŀ			125	9	9 1				8	ě		-		0	1			6	18	Percent	the Bureau
Grade		White: G.M.	, m	-	SO II.M. +	S.L.M	L.M.+	L. H.	· · · · · · · · · · · · · · · · · · ·				Terral	G.M.	S.M	-	A TIME	1000	Snotted:	G.M.				Total		Tinged:	. E. S.		L	Total	Yellow Stained:	G.M.	· · · · · · · · · · · · · · · · · · ·	Total	TANK COMPANY	G.M			· · · · · · · · · · · · · · · · · · ·	Total	Gray:	S.M.) No. 10 10 10 10 10 10 10 1		T9007	Below Grade	All grades	All grades	1/ As reported by the Bure Less than 0.05 percent.

Table 25. -- Grade and staple of upland cotton ginned in South Carolina, 1961-62

les	Percent			D I	ູ່ ເ ດີ ເ	2 .	4.7	24.8	1.4	4.8	Н.	4		: W	82.5			3.7	4.5	2.9	.7	11.8		8				-	-		ı	R (2 4					e, 0	0.6	5.2		i	ı.	ω, -	-! "	C:	-	100.0			
All staples	Bales	1	35 55	8/8,61	2000,2	1/3,131	0,/40	102,958	5,744	19,716	312	1-662	-	9	341,277		80	15,178	18,822	11,942	3,031	48,981		ę	31	84	28	141	314		•	8 (1 1	13	13		13	9,466	1.282	21.605			303	1,195	200	406'T	195	1/ 414,319	Percent	100.0	+1 on
longer	Bales		1	Q		•		•		•	8	•		1 0	-		•		q		•	•		0	1	t		•	•		•	8 (9	9	٠		,	*				•	1	•		-	•	•	Percent		Percentage rough preparation
inches	Bales			g	9	0	•	4		1	9			1	1				1	E	,	٠		1	ą	•		•			1	• 1	1 1				•		8 1			8	1				1	1	Percent		mentage re
inches	Bales		1		9 ,	1		g	,	1	1	9			11		1				'			0	0	1	ı	•	١				1 4	•	1		•					1	1				•	11	Percent		Per
inches	Bales		•	g	8 6	ית	1 1	7		1	Q	8	! !		16		•	t		ì	•	•		1	9	•	1	•	٠		0 1		9	1	9		•	1		1		8	•	• 1				16	Percent		
Inches	Bales		, 8	З с	20 4	4 5	18	9	6	,	8	9		1	1,003					•	•	٠		8	9				•		1 (•	3		9		٠.				1	• 1				1,003		5.	
inches	Bales		0 7	1.0494	200	C21, C1	1//	1,976	146	B	77		1 1		15,075		1	246	273	£	18	582		8	0	8	1		8		9 (•	1	•	9		Q	Ιđ	o #	80		•	9					15,665	Percent	9.8	
inches	Bales	(3 00	P. 23.9	1,624	00,049	425,0	25,903	1,949	2,934	41	134			111,765			3,153	2,720	796	118	6,787		8	0	18	8		18		i i	1 1			٠		6	125 1243	5 E	1,485		•	m :	= '	100			120,074	Percent	29.0	
inches	Bales	1	12	126 201	CB2	264.06	404	69,005	3,383	13,341	235	840	5)	196,138		00	10,303	12,518	7,484	1,211	31,524		Q	8	8	\$ 0	,	72		9 (• •	8	-	•		ET S	5,913	14	14,504		1	188	4 t	TCT			242,965	Percent	58.6	
fuch	Bales		9 00	55/	E C	27/°C	201	5,907	257	3,254	13	A3B	}	, C	16,592			1,440	3,208	3,324	1,114	9,086			31	46	FT 8	3	175		0 (9		-	٠		1	1,591	679	5,275		ı	113	100	1 001	10011	101	32,230	Percent	7.8	
Inch	Bales		8 8	3/	B [8	8	96		134	75	174	1	28	564		0	36	35	258	455	843		•	9	8	0 6	CT	15		9 (0 6			,		0 1	S 1	111	322		1	1	ß 5	155	200	45	1,941	Percent	ທຸ	
Inch	Bales		1		g	g	0	24	1	0	9	76)	ا بر	113		9		O ⁿ	32	115	159			9	ı	0 7	34	34		6 (1 6		B		9	1 5	1 1	11				- "	27	j	39	377	Percent		ng halae
Inch	Bales		9		9	0	9	0	•	1	0	0) (G (-		9	0	·		•	8			0	•	9	-			\$ (0 4	9	13	13		9	0 1				ę		9 [11	111	٠	24	Percent		site minnå
Inch	Bales		ą	ì	G	0		8	9	9	9	6		0 1					•	*	-			•	1	g	1	-	1		9 1	0 0	9	9	•			0	9 4			1	ě	Q (13	13	Percent		of the Can
shorter	Bales			0			0	8	•	9	g	•)	9 (0			0	8	1	•	1.		8	6	9			-		0 1	8 9) ()	1	*		8	Q	1 1	'		ě	0	0 1			1		Percent		the Bureau of the Census, minutes hales.
arade arade		hite:			A.t		S.L. A.+.	S.L.M.	L.M.+	L.M	8.6.0.+.	C			Total	ght Spotted:	G.M		M	S.L.M	L.M	Total	potted:	G.M	S.M	H	S.L. X.	т.н.	Total	inged:				L.M	Total	ght Gray:			G.L.M.	Total	Ä:	G.M	S. M.	· · · · · · · · · · · · · · · · · · ·		78404	elow Grade	11 grades		11 grades	As reported by the Bure

les	Percent	0.1	27.2	0, 7	4	11.0	o,	e, e,	7 7		•	75.1		1.2	3.0	8,4	13.1		. "	i 0		2.7	6.9	۰	0	1,	۳ م م	2.6		,		*	'	, "	i vi		•	,		-	-	1.9	100.0		33.55 03.58
All staples	Bales	794	149,937	4,860	5.893	60,469	4,900	18,030	300	8	50	412,449	٠	6,451	16,253	26,437	71,867		• 409	3.371	19,519	15,043	38,568		Q	199	6,907	14,415		0	106	106	c r	7 69	1,006	337	2,020	0	226	103	329	10,548	/ 550,310	Percent 100.0	lon
1-1/4 inches and	Bales	0	•		' '	,	,	8	0 11	1	-	-		8	9	0 1			8	8 8	8	1	-	٠	۵	1	5 8			0	0 8			8 8	8				٠.	-		,	-	Percent	Percentage rough preparation Grade index Average staple
1-7/32 inches	Bales	0	6		1	1		ę	P I	8	8	-	Û	0	0	8 1				0 0				,	ŧ	6				ı	8 8	1		1 8	g				g 0	•				Percent	Grade Index
1-3/16 1nches	Bales	0	٠	' §	2 4	٠		8	a 0	Q	-	140	9	Đ	Q	1 (9 6	ì		•	•	ı	9	g =			g	9 9			a 6	9			g	Q W		•	B	140	Percent I	Grad
1-5/32 Inches	Bales		•	- 247	1	1				0	-	241	8	G	0	0 (ï	8	٠		0					0				a a	ı			8		8	-		241	Percent	
1-1/8 1nches	Bales		235	27 28	24	149	77	25		0	9	1,721	9	8	0	9 6			6		•			•	ï			•		0	0 4				8			8	B 2		1	-	1,721	Percent .3	
1-3/32 inches	Bales	4	20,703	1,175	720	3,867	344	15 15	9 9	9	•	51,303	0	187	352	137	7007		1 0	4 &	1	•	61		•	0								12	13	25	2	٠	0 0		1	8	52,089	Percent 9.5	
1-1/16 inches	Bales	745	123,055	3,599	4.975	47,950	4,071	9,084	283		36	328,420	g	4,911	10,388	5,932	23,276		1 094	1,601	1,445	287	4,043	,		161	36 80	267		•	8 0		c.r	333	280	R25	650		9 1		-	ā	356,831	Percent 64.9	
1-1/32 inches	Bales		5,581	7 042	174	8,362	473	7,568	322	0	14	29,714	9	1,304	5,364	18,935	42,965		1 69 .	1,615	16,631	10,251	28,660		•	LLA	2,747	7,086			8 8	1		128	869	1.066	0004	0	213	62	275	867	110,633	Percent 20.1	
1 fnch	Bales		38	. 4	2 1	141		228	۱ ه	0	4	885		24	137	1,433	4,875		0 1	106	1,425	3,832	5,363		1	23	3,869	6,857		8	106	106		2 0	15	S &	3	,	, EJ	27	40	7,271		Percent 4.6	
31/32 Inch	Bales					1	ı	1				-		E	12	- 4	39		8 (9 6	423	423	9			205	205		9	1 1	8		9 8	, [77		9	Q II	14	14	1,559		Percent .4	
15/16 Inch	Bales	0	25	ii 0	P	ı		e		0	0	25		21	9		12		9 (18		18			0		•					1	9 8	9	0 8		0	9 9	0	1	851		Percent .2	running bales.
29/32 inch	Bales		•			B	•	6		9		8			8		,		0 (q		•				8	ü 1	-		9 1	8 8	0			0			1		1	0	q		Percent	
7/8 inch	Bales				•				9 9	0	-	-	1		•	1 4			9 (3	0	0	•		-	-	1 1	-		0 1	I 9	1		0	Q			0	G 1			0		Percent	of the Cen
13/16 inch and shorter	Bales				•	1	-	9	в в	0	1	-	1	1	ı	0 8			0 0	8	g	-	•	8	ı	1	9 1	•		9 6	8			8	Q				II 0		9	-		Percent	the Bureau of the Census, percent.
Grade 1.3	White:	G.M			S.L.M.+.	S.L.M.	L.M.+.		0.0.0	G.O.+		Total	Light Spotted:			E. H. H.	Total	Spotted:			S.L.M.	· · · · · · · · · · · · · · · · · · ·	Total	Tinged:				Total	Yellow Stained:			Total	Light Gray:	× × × × × × × × × × × × × × × × × × ×		Total	Gravi			S. L. S.	Total	Below Grade	All grades	All grades	1/ As reported by Less than 0.05

table co. - Grade and staple of upland cotton ginned in Tennessee, 1901-02

Table 27. -- Grade and staple of upland cotton ginned in Texas, 1961-62

8Q	Percent	1	8.0	; r!	16.0	9.	4:21	מ ת). L	i			41.5		- 1	4.7	15.1	0.5	50.3	And the second s	. ′	1. 6	י מ	រ ស	5.3		1	. r	; IC	.2	1.4		0 =	' -:	1.			4 (٠ ن ب	1.1			, ^	1.	.1	.2	100.0		0.2	95.2
All staples	Bales		382,640	6,610	761,795	29,070	591,212	120.745	3.614	10,985	271	1,811	1,983,318		1,315	352,052	723,092	94,545	2,398,542		2	0,000	107.554	24,808	252,580		•	1,685	24.417	9,533	69,993		a C	5,051	5,318		106	27 743	5,403	49,445		C 7 3	004	1,363	4,657	10,641	4,774,494	Percent	100.0	
1-1/4 inches and	Bales	0	398	46	404	1 ;	2	10	n I		0		3,495		V (77	12	0,	42		ı	0 (9	1	1		0	8		-	ę		Q					0 1				9	8 (3,537 1/	Percent	.1 rough preparation.	1
1-7/32 inches	Bales		3 5	19	333	20	88	ו רכ		0 9	9	,	1,793		8 8	S C	9 8		170		ß		1 0				0	1		•	•		0.	a 11			8	0 6	8			0			•	-	1,963	Percent	Percentage ro	do todos
1-3/16 inches	Bales	0	300	72	525	37	150	0 6	9 (0 11			2,677		8 (2 %	99 90	18	135		\$	0 1	1 0	•			0		1 0		ŧ		9	ð 8			å	d Q	0	1			1 1	•	•	1	2,812		Per	(Arroy
1-5/32 inches	Bales	,	10,904	321	24,621	559	1,576	10	n I	II 0	,	1	97,430		44	2,019	06	1	3,430		8	9 1		1	٠		8	0		•	•		Q 1	0 0			, t	200	1 9	93				-	•	1	100,955		1.2	
1-1/8 inches	Bales		37,214	416	36,512	1,076	8,110	234	403	g g	8	*	90,515		72	4,813	450	21	10,753		9 0	40	0	1	106		1 (00 1		•	80		ا ۵		•		1 0	914	2 2	465				1	•	3	101,850	1.	0.0	
1-3/32 inches	Bales		24 2003	674	24,102	1,644	10,704	1 752	40	187		47	686,69		49	4,44	2,359	474	13,486		1 6	33.55	228	30	619		0	6 1	1	1	•		Q 1	0 11	•		0 707	226	3 1	652		۵ و	2 2	1	82	132	84,898	Percent	2	
1-1/16 inches	Bales		30 087	1,497	65,803	4,672	48,361	10.040	540,00	634	37	76	167,520		22	9,400	13,056	2,216	49,935		12	177	810	244	1,700		0 (g ç	8 16		105		0 1	0 1	•		, 000	1.342	167	2,599		۰ ۲	2 &	9	132	436	222,427	Percent		
1-1/32 inches	Bales	Ĺ	34 755	1,258	119,298	5,975	107,176	25,082	405°C3	1.944	10	205	302,533		2 5	57,813	28.766	5,140	106,367		1 00	924	865	736	2,728		0 (01 E	74	60	8		Q	9 11	•		1 544	7.478	1,431	13,553	C.	7 7	388	163	627	481	426,372	Percent		
1 Inch	Bales		41 648	738	102,554	3,053		18 917		2.456	h	518	227,543		112	47, 939 040 PO	36,677		179,888		1 00	3 5	1,683	1,215			1	8 8	137	108	360		0	l m	m		29	7.069	2,256	13,620		, 8	563	422	1,082	1,231	428,005	Percent		
31/32 1nch	Bales		140 201	865	173,515	4,483	84,707	15,240	A21	1.527	43	169	367,049		535	100,570	101,885	13,189	460,562		0 00	3 046	3.297	1,350	9,216		0 1	11	145	29	483		1 6	16	36		8 2	4.061	682	6,864	C	163	432	276	892	1,698	846,800	Percent	Contract of the Contract of th	
15/16 fnch	Bales		184	587	183,652	6,305	233,293	30 107	191,86	3,237	22	612	550,760		348	131,094	422,613	45,677	1,278,687		1 000	60 060	56.124	9,893	129,863		0	393	6.696	1,987	19,322		, 8	288	809		8 8	5.554	678	9,543		9 60%	202	293	1,201	2,964	1,992,948		1	
29/32 tnch	Bales		10 260	153	27,712	1,122	41,729	3,84/	300	922	10	173	96,135		35	130,507	113,082	16,990	283,681 1		1 7	43 502	41.905	10,206	97,054		8	9994 400 00	14.795	5,826	41,670		000	2,485	2,608		2 [318	169	1,964		9 00 0	379	142	639	2,408	526,159 1		uuni 'snsu	
7/8 tach	Bales		130	0	2,631	115	1,158	TOIL	661	78	9	11	5.706		21	1,93/	3,928	006	11,097		1 6	3 035	2.537	1,104	6,841		9 1	222	245	1,504	7,712		405	1,820	1,924		9 (3 F	10	8		1 (2	0 0	17	54	1,140	34,564	Percent	of the Ce	
13/16 inch and	Bales		0 00	7 1	133	6	O	₽ 1	¥ 1	9	,		173		1	117	3 8	8	309		9 (ک د	96	30	175	The state of the s	0	5 5	500	41	250		0	139	139		0		1 8		Communication of the communica			01	10	148	1,204	a	the Bureau	
Grade		White:				S.L.M.+.		T. W. T.		0.00	+ 0		Total	Light Spotted:			, id.	L.M	Total	Spotted:		×	S.L.M.	[1]	Total	Tinged:	G. M.			L.M.	Total	Yellow Stained:			Total	Light Gray:				Total.	Gray:			S.L.K.	Total	Below Grade	All grades		A As reported by	Less than 0.05

Table 28. -- Grade and staple of upland cotton ginned in Virginia, 1961-62

80	Percent	1	٠	1	5.9	1.7	0.0	1.3	6.2	5.	1	ı	•	68.3			ű	E:	7.0	œ.	30.9		ı	, a	2		8	100.0		0
All staples	Bales P	1	•	•	489	143	4,375	111	514	20	•	1	-	5,652			21	1,930	579	27	2,557		•	ı g	h 1		69	1/ 8,278	Percent 100.0	:lon
inches and	Bales	•			1	•	,		•	•	,	*	-	,		1	•		ŧ	-	t			î I	ı ı	1		1	Percent	Percentage rough preparation
1-7/32 inches	Bales	8	1	1	ŧ	ı	1	ı	1	•	8	ı	1	•		1	ı		1	3	-		9	9 1	1	ŧ		1	Percent	Percentage roug
1-3/16 inches	Bales	1	•	1	1	1	١	ı	ı	1	1	1		P		•				-	•		8		1	٠	1	•	Percent	Per
1-5/32 inches	Bales	t	1	1	•	1	1	٠	•	1	1	ı	1	1		1			1	-	8				. 1	•			Percent	
1-1/8 inches.	Bales	•	٠	1	8	ı	64	ı	EI	1		•	,	+		•		EI		-	13			9 1		•		8	Percent 1.1	
1-3/32 inches	Bales	1	1	,	B	•	838	1	46	1	•		1	287		1	21	349	7	ĭ	447			Ŷ I				1,384	Percent 16.7	
1-1/16 inches	Bales	1	1		425	139	3,362	111	422	20	ı	1	t	4,479		1	1 1	1,386	4	20	1,850			- 26	1	1	24	6,353	Percent 76.8	
1-1/32 inches	Bales	,	,	•	11	4	111	1	g	•	ı	9	•	159		r	1	177	24	8	234			, K) 1	1	25	418	Percent 5.0	
1 Inch	Bales	ı	8			ŧ	8		•	•			1					د	4	4	13		ı	. K	} '		15	28	Percent .3	
31/32 1nch	Bales	٠	ı			ı	ı	,	1	,		1	-	٠		,	ı	1		-	•			1 (1	1		Percent	
15/16 inch	Bales	•		1	9		1	•	•	٠	•	•				Q	•	0		-	•		1	e K) I	1	S	5	Percent .1	ng bales.
29/32 Inch	Bales		1	1	1		1	1		ı	1	1	1	•		1			1	1	•		1		1	•	,	•	Percent	isus, runni
7/8 tnch	Bales	1	9		1	8	9	•	-	1	0	1	1	•		ı				-	1			1 1	1	9	•	1	Percent	of the Cer
and	Bales	9		•	1	1		-	1	ı		1	•	1		•		8		-	1		1		1	-	•		Percent	the Bureau
Grade	Mite:	G.M		X.+.	ж	S.L.H.+	S.L.M.	L.M.+	п.ж	S.G.O.+.	3.d.o	G.O.+.		Total	Light Spotted:					L	Total	Spotted:			S.L.M.	L.M	Total	All grades	All grades	1/ As reported by the Bureau of the Census, running bales.

Table 29. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

ALABAMA

ARIZONA

Grade and	Prior to	gentombe	rOctober	November	After	Total	Prior to	Septembe	notober	November	After		rotal
staple	Sept. 1	Septembe	PIOCEODER	Movember.	Nov. 30	Crop	Sept. 1	Septembe	1 October	Movember	Nov. 30		Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		Bales
White:													
G.M	29	54	311	24	12	430	239	1,411	3,386	709	124		5,869
S.M	214	26,683	71,676	6,326	357	105,256	3,030	23,125	72,736	30,367	6,871		136,129
M.+	10	1,232	1,617	73	00	2,932	511	851	806	305	200		2,673
M	2,289	61,922	128,629	26,896	960	220,696	1,987	32,489	145,021	133,955	36,221		349,673
S.L.M.+	60	896	5,328	1,882	77	8,243	99	999	2,091	4,971	2,829		10,989
S.L.M	462	15,639	41,499	17,636	1,558	76,794	209	4,360	14,243	36,159	26,801		81,77,2
L.M.+	10	1,296	3,146	1,292	49	5,793	-	-	197	1,661	2,043		3,901
L.M	32	15,729	18,285	8,559	2,011	44,616	10	377	505	3,892	8,334		13,118
S.G.O.+	-	138	267	197	64	666	-	-	11	161	198		370
5.0.0	10	4,380	5,003	2,410	534	12,337	-	21	79	985	4,067		5,152
0.0.+	840	-	-	12	-	12	-	-	-	941	56		56
G.O		421	782	360	40	1,603	-			134	1,273		1,407
Tot=1	3.116	128,390	276,543	65,667	5,662	479,378	6,085	63,633	239,075	213,299	89,017	(511,109
200	0,110	220,000	2,0,0,0	00,007	0,000	473,070	0,000		207,070		00,02		
Light Spotted:													
G.M	-	-	оп	-	one	MB	-	-	46	64	640		110
S.M	190	2,517	5,300	5,442	312	13,761	81	2,073	11,307	7,391	3,963		24,815
M	2,253	12,465	10,543	9,390	1,762	36,413	222	13,085	26,404	20,562	13,285		73,558
, S.L.M	938	11,139	5,152	10,472	5,264	32,965	10	2,001	2,884	5,478	15,962		26,335
L.M	120	3,610	1,702	4,508	3,916	13,856	-	146	326	3,886	22,120		26,478
Total	3,501	29,731	22,697	29,812	11,254	96,995	313	17,305	40,967	37,381	55,330	,	51,296
10001	0,002	23,731	22,037	23 7012	11,1207	30,535	313	17,500	40,30,	01,002	00,000		
Spotted:													
All grades	10	576	320	8,120	6,624	15,650	10	1,507	1,865	697	3,012		7,091
Tinged:													
All grades	_	14	37	2,883	4,227	7,161	_	_	_		170		170
	-				-,					-			
Yellow Stained:				62	64	*22							
All grades		_	-	62	61	123	-	-	_	-	676		-
Light Gray:													
All grades	22	6,212	3,612	1,291	702	11,839	10	64	502	1,652	2,540		4,768
	-						-						
Gray:	20	2 000	3 053	* 70	7.00	2 205			24	50	100		212
All grades	20	2,039	1,051	170	106	3,386		as a	24	50	139		213
Below Grade	-	214	257	260	F 222	6,064	to	_	13	7 162	19,680		20,856
Delow drade		214	231	200	5,333	0,004			. 13	1,103	19,000		20,830
Ann	4 660	167 176	204 517	100 005	00 000	1/ 500 505	6 48.5	20 500	200 446	254 242	3.60,000	-/-	10F F03
All grades	6,669	167,176	304,517	108,265	33,969	1/ 620,596	6,418	82,509	282,446	254,242	169,888	7	95,503
Omede Indox	06.7	05.0	00.0	m 2	90 6	05.6	707.0	00.0	100.3	00.2	00 6		97.1
Grade index	96.7	95.9	98.0	93.2	80.6	95.6	101.8	99.9	100.3	98.2	88.6		97.1
Otania													
Staple (inches)													
13/16 shorter.	CHÁ	-	46	000	259	305	-	44	a	~	134		134
	66			10		8	-		-				
29/32		170	90	10	1,070	1,170	-		10	56	18		18
15/16		128	961	99	3,569	4,757	-		10	56	4,626		4,692
31/32	710	1,789	4,655	1,382	2,921	10,747	-	220	24	309	12,196		12,529
1	210	18,032	18,367	11,363	13,248	61,220	-	238	747	6,691	52,765		60,441
1-1/32	3,768	78,597	82,907	46,855	11,165	223,292	556	9,654	52,389	52,971	55,597		71,167
1-1/16	2,671	65,046	171,273	46,417	1,725	287,132	4,951	63,168	192,884	173,228	38,397		72,628
1-3/32	20	3,492	25,284	2,057	12	30,865	901	5,766	10,050	9,104	4,484		30,305
1-1/8	-	92	907	82	-	1,081	10	990	14,069	10,142	1,533		26,744
1-5/32	986	-	27	-	-	27	ecs	2,641	12,117	1,605	121		16,484
1-3/16	gas	961	00	-	ste	cor	-	52	145	60	8		265
1-7/32		cad	-	-	œ	-		-		-			-
1-1/4 • longer .		-	86	-		=		-	- 11	76	9		96
All stanles	6 660	167 176	304.517	108.265	33 060	1/ 620,596	6,418	82 500	282,446	254 242	160 000	1/-	705 500
All staples	0,009	207,170	307,317	100,203	33,303	1 020,090	0,410	02,509	202,440	254,642	109,000	-/	35,503
Average staple													
(32nd inches) .	33.4	33.3	33.6	33.3	32.0	33.4	34.1	34.1	34.1	33.9	32.8		33.7
1/ in reported 1									J. 1. 1.	55.3	05.0		

Table 30. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

Total				ARK	CANSAS					CAL	FORNIA		
Crop	Grade and staple	Prior to Sept. 1	Septembe	Cotober	Novembe	After Nov. 30	Total Crop	Prior to Sept. 1	Septembe	er October	November	After	
Bales	Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Nov. 3	
1-03	ite:		160	106	10		275		* 202	0 7000			4
	G.M		160 60,083	196 87,664	19 4,973	_	375 152,720	93 836	1,202	2,755 98.667	574 36,722	1.734	4,639 148,277
-1010	M.+	-	20,236	26,276	894	-	47,406	82	183	180	16	1,754	461
10,989	M		77,552 5,939	378,353	48,589	-	504,494	965	16,266	745,657	321,076	29,760	
071117	S.L.M		11,575	49,758 207,156	7,771	3,873	63,468	52 426	348	4,023	3,533	1,573	9,529 288,468
	L.M.+		1,833	38,683	11,709	626	52,851	-	-	552	2,519	2,078	5,149
370	L.M	-	954 10	27,328	37,829	15,671	81,782	42	418	4,810	13,756	21,294	40,320
J.132	S.G.O		42	1,229	900	214 6,187	2,353 12,275		-	10 454	1,251	2 35 7,657	691 9,362
	G.O.+	-	-		67	58	125	-	-	-	23	10	
611,109	a.o			90	501	891	1,482	-	-	51	63	2,047	2,161
	Total	-	178,384	818,322	198,976	27,520	1,223,202	2,496	31,649	963,340	520,561	104,768	1,622,814
110	ght Spotted:		42	10	19	89	160			9			9
24,815	S.M	-	372	2,169	3,554	62	6,157	21	417	1,546	3,400	2,766	8,150
73,558 26,335	M	-	692	4,933	26,059	1,282	32,966	-	640	2,889	2,409	3,075	9,013
26,478	S.L.M.	M4	298 75	2,273 300	30,895 18,431	11,902 34,338	45,368 53,144		97 11	594 30	670 163	6,426	7,787 8,124
151,296	Total	-	1,479	9,685	78,958	47,673	137,795	21	1,165	5,068	6,642	20,187	33,083
7,091	otted:												
1100	G.M		11 11	10	239	30	343		22	-	16	35 62	35 100
170	М	-	-	40	1,600	361	2,001	_	79	103	35	229	446
	B.L.M	-	-	11	5,187	6,649	11,847	-	32	9	39	427	507
	L.M		-	_	5,671	24,596	30,267	-		-	8	895	903
, 160	Total	-	22	124	12,697	31,636	44,479	-	133	112	98	1,648	1,991
4,768	nged: All grades	-	-	-	861	5,983	6,844	-	-	-	-	54	54
213	llow Stained:					28	28						
20,856	ght Gray:					20	20						
1/ 795,503	All grades	-	148	2,187	7,619	6,583	16,537	-	31	1,817	16,632	27,213	45,693
97.1	All grades	-	63	148	1,035	1,242	2,488	-	-	83	194	2,320	2,597
	low Grade	*	10	31	620	28,170	28,831	-		-	32	3,208	3,240
****	grades		180,106	830,497	300.766	148.835 1	/1,460,204	2.517	32,978	970,420	544,159	159,398	1/1,709,472
134	ade index	_	100.8	97.7	91.8	77.1	94.8	100.3	100.6	99.6	98.0	90.9	98.3
4,692													
60,441	Staple (inches)						-						
171,167	/16 & shorter.			-		-		-	-	as	-	440	2
472,628	3. /32.	-	-	8	10	161	179	-	646.	9	-	330	9 120
26,744	/16	-	42	21 145	246	482 6,889	503 7,322			-	-	120 1,585	1,585
16,484	/32	-	31	262	486	13,761	14,540	-	-	11	39	3,905	3,955
265	1/32	-	156	1,875	9,819	50,464	62,314	235 431	20 862	172 9,252	735 24,999	20,998 66,367	22,160 101,911
96	1/16	-	4,283 81,564	27,483 479,326	71,661 169,164	63,601	167,028 743,085	1,799	15,503	695,207	407,953	64,398	1,184,860
	3/32	bed .	87,411	299,540	46,404	414	433,769	52	15,828	264,725	109,872	1,944	392,421
200	1/8.	-	6,356	21,301	2,898	32	30,587	105	765	1,044	430 131	71	2,310 141
	3/16	-	263	505 31	68 10	-	836 41	_		-	701	-	- m
33.7	7/32	-	-	-	-	-		-	100	206	Out	***	-
	1/4 & longer .			-		ef	-		=1	44		-	2 /2 700 472
	l staples	-	180,106	830,497	300,766	148,835 1	/1,460,204	2,517	32,978	970,420	544,159	159,398	1/1,709,472
	erage staple 32nd inches).		34.5	34.4	33.9	32.4	34.1	33.7	34.5	34.3	34.2	33.2	34.1
	As reported b	y the Bur	eau of th	e Census	, running	bales.							

Table 31. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

FLORIDA

GEORGIA

Grade and	Prior to	n 1	10.4	1	After	To	tal	Prior to	10	-10-4 :	Name of	After	Total
staple	Sept. 1	September	October	November	Nov. 30		ор	Sept. 1	Septembe	rOctober	November	Nov. 30	Crop
Grade	Bales	Bales	Bales	Bales	Bales		Bales	Bales	Bales	Bales	Bales	Bales	Baler
White: G.M		8					8		75	68			14:
S.M	61	55	- 0				116	951	9,830	14,187	1,723	41	26,732
M.+.	9	=			**		9	58	1,842	1,632	305	-	3,83
М	618	361	38	-	-		1,017	6,770	70,600	93,954	15,698	946	187,968
S.L.M.+	-	8	-	-	-		8	136	3,765	6,930	3,466	110	14,40
S.L.M	127	707	275	-	-		1,109	1,707	45,007	39,603	10,621	1,634	98,57
L.M.+		93	57	=	-		150	53	2,921	3,226	649	90	6,939
L.M	9	1,344 20	814	41 5	áu		2,208	117	16,720	15,811 351	3,487 166	1,240	37,375 812
S.G.O.+		568	476	14			1,058	9	2,219	2,912	691	787	6,618
G.O.+	**	_	-770		-				10	9	8	13	40
G.O		117	57	35	-		209	-	335	336	129	143_	943
Total	824	3,281	1,736	95	-		5,936	9,801	153,524	179,019	36,943	5,099	384,386
Light Spotted:													
G.M	-	-	-	-	-			-	11	-	-	-	7 200
S.M	79	58	10	-	-		147	193	2,820	2,075	1,993	125	7,206
M	298 11 4	702 759	48				1,048 958	1,287	21,753	12,288 8,821	4,471 2,812	1,050	40,849
L.M	9	341	124		_		474	49	3,775	3,154	1,298	1,462	9,73
Total	500	1,860	267	-	-		2,627	1,984	43,202	26,338	10,574	3,741	85,839
Spotted:													
All grades	-	67	-	9	. 5		81	71	979	493	1,751	1,479	4,773
Tinged: All grades	~	-	_	_	_		_		-	_	475	580	1,055
Yellow Stained:													
All grades Light Gray:	-			-	-		-		-	-	19	38	57
G.M	100	_	_		-			-	-		-	-	
S.M	-	138	-	5	-		143	34	5,224	3,507	931	106	9,802
М	-	142	133	-	17		292	58	8,886	5,318	883	258	15,403
S.L.M		48	47	-	-		95	-	1,040	1,616	314	166	3,136
Total	-	328	180	5	17		530	92	15,150	10,441	2,128	530	28,341
Gray: All grades	-	106	67	_	-		173	18	2,678	2,260	130	53	5,139
Below Grade	_	65	28		_		93	9	221	578	107	1,344	2,259
	* 224			*'00	22	- /							
All grades	1,324	5,707	2,278	109	22	1/	9,440	11,9/5	215,754	219,129	52,127	12,804	1/511,849
Frade index	97.9	88.1	84.4	78.6	88.1		88.5	98.3	95.1	95.9	94.8	83.9	95.2
Staple (inches)													
3/16 & shorter.	-	-	_	-	_		- 1	-	_	27	8	19	54
7/8		-	-	-	-		-]	-	137	592	100	122	951
29/32	-	10	29	-	-		39	-	219	2,305	286	250	3,060
15/16	est	86	199	35	5		325	9	3,015	9,539	1,347	537	14,447
31/32	=	385	408	23	-		816	36	11,250	20,219	3,037	1,187	35,729
1 /22	188	2,298	908	14	17		3,425	261	52,020	50,870	6,995	2,933	113,079
L=1/32 L=1/16	564 554	2, 538	725	22 15			3,849 968	6,944	108,072 37,413	64,051 51,442	12,201 22,523	4,896	193,669
1-3/32	18	390		15	_		18	276	3,243	17,110	5,366	2,883	121,205 26,032
-1/8	_	-	-	-	-		=		307	2,694	234	=	3,23
-5/32	-		-	-	-		-	-	78	272	20	-	370
1-3/16	űn.	-		**	-		-]	-	-	8	10	-	18
-7/32	est.	444	-	-	-		-	-	-	-	66.	-	4
-1/4 & longer .						- 1	-		-		**	_	
All staples	1,324	5,707	2,278	109	22	1/	9,440	11,975	215,754	219,129	52,127	12,864	1/ 511,849
								1					
Average staple (32nd inches).	33.3	32.5	31.9	31.6	31.5		32.5	33.6	32.8	32.8	33.3	32.6	32.9

Table 32. — Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

ILLINOIS

KENTUCKY

				TITHOTO					14.13.	NTUCKI		
Grade and staple	Prior to Sept. 1	September	October	November	After	Total	Prior to	September	October	November	After	Total
Grade	Bales	Bales	Bales	Bales	Nov. 30	Crop Bales	Sept. 1 Bales	Bales	Bales	Bales	Nov. 30	Crop Bales
White:	20202	Dazon	Dares	Dares	Dares	Dares	Dales	Dates	Dales	Dales	Dates	Dares
G.M	-	603	-	est	-	-	~	040	-	-		-
S.M	-	-	12	9	-	21	-	142	397	40	-	579
M.+	-	-	- 20	~	-	- 47	-		20	= 00	-	20
S.L.M.+		- 0	38 26	9		47 26	-	157	958 30	100	-	1, 2 15
S.L.M	_	-	12	_		12			263	20	11	294
L.M.+	-	cas	12	-	_	12	_	_	20	_	-	20
L.M	-	-	-	-	**	- 1	-	-	48	10	22	80
S.G.O.+	=	-	-	-	-	-	-	-	-		-	-
S.G.O	***		12	-	-	12	-	da	-	-	40	-
G.O.+	-	(s) (s)		-	-	-	-	-	46	~	eno.	-
				-	ent		-		-	-		
Total	-	_	112	18	-	130	-	299	1,736	190	33	2,258
Light Spotted:	and the distance of the column at the											
G.M	-	-		_		-	-	-	-	~		-
S.M	-	400	12	-	-	12	-	-	10	50	-	60
M	-	-	-	22	-	22	-	-	39	101	11	151
S.L.M	-	-	-	-	-		-	14	-	118	70	202
L.M		-		8	47	55			-	44	102	146
Total	-	-	12	30	47	89	-	14	49	313	183	559
Spotted:												
G.M		-	900	900	alti	~		14	-	des	-	
S.M			-			_ [Ollo	000	-	end		
M	-	***	00	-	**	-	-	100	-	107	26	133
S.L.M	000	~	**	25	-	25	-	-	-	128	106	234
L.M	-		esi	-	87	87					199	199
Total	-	-	-	25	87	112	-	40	-	235	331	566
Mirand.												
Tinged:		_	-	_	_	-	_	-	_			
S.M		ne	_	-	_	_		_	_	_	-	_
M	~	-	tom		uta	-	-	465	-	-	-	
3.L.M		-	-		-	-	-	-	-	44	-	44
L.M		-	-				-		-	-	86	86
Total	-	-	-	-	-	-	-	-	-	44	86	130
Light Gray:						**********						
All grades	-	_	_		_	_	_	14		_	_	14
and Samuel												
Below Grade	-		_	-	48	48	-		-	-	312	312
							-					
All grades	-	-	124	73	182	1/ 379	-	327	1,785	782	945	1/3,839
Grade index	-	-	96.1	91.6	72.3	83.8	-	101.2	99.4	91.6	73.1	91.5
geanla												
Staple (inches)												
13/16 & shorter.	a	40)	=	983	400	-	CNU CNU	cne	est	-	-	04
7/8	60	esi	es		465	-	-	-	-	des	-	-
29/32	400	=	=		**	-	60	C5	es	-	~	or C
15/16	200	est	-	-	8	8	-	-	oul	***	88	180
31/32	-	923	-	-	89	89	00		460	-	180 268	180 268
1-1/32	63	* 0		12	85	97			89	222	409	720
1-1/16	_		87	61	_	148	-	213	1,385	540	-	2,138
1-3/32	-	ept	37		-	37	-	114	301	20		435
1-1/8	-	-	-	OED	(es)	-	40	-	10	-	-	10
1-5/32	40	60)	603	046	-	-	CDD)	DIQ	a	cos	Cad	out.
1-3/16	**	ansi	esti	esi .	638	64		pd .	408	94	-	-
1-7/32	(20)	60)	~	QMD DRO	-	_			00	-	-	-
1-1/4 & longer .	'an		~								045	1/2 000
0 m m . 4 m	***	-	124	73	182	1/379	-	327	1,785	782	945	1/3,839
All staples							¥					
Average staple (32nd inches).		=	34.3	33.8	32.4	33.3	_	34.3	34.1	33.7	32.1	33.6

Table 33. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

LOUISIANA

MISSISSIPPI

												-
Grade and staple	Prior to Sept. 1	Septembe	or October	November	After Nov. 30	Total Crop	Prior to Sept. 1	Septembe	october	Novembe	r After	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		Bales
White:			-			or the state of th		-	***************************************		-	
G.M	DIA DIA	22	68	19	-	109	-	739	674	47		1,460
S.M		11,612	33,050	3,171	-	48,860	202	97,335	162,669	27,161		287,367
M.+		1,116	3,849	371	220	5,398	3	15,466	23,672	3,702		42,843 551,704
M		19,450 837	101,889	23,553	329 10	146,764 12,738	521	100,653 3,477	361,014	89,165 10,412		48,127
S.L.M		5,927	56,767	30,320	3,664	96,810	36	15,352	208,636	72,288		301,583
L.M.+		76	4,510	2,208	926	7,720	-	545	19,758	8,523		29,591
L.M		639	10,150	19,970	10,219	40,978	-	1,473	37,732	20,971	12,773	72,949
8.0.0.+	_	-	153	87	2 3	263	-	29.	1,014	357		1,426
S.G.O		44	1,104	2,666	4,675	8,489	-	36	2,707	3,679		14,681
0.0.+		-	*****	200	-	- 070	-	7.7	24	27		51
0.0			71	255	652	978		11	86	406	2,907	3,410
Total	2,799	39,723	221,793	84,294	20,498	369,107	762	235,087	851,839	236,738	30,766	1,355,192
Light Spotted:												100
G.M		1 600	1 702	963	135	9 4 427	-	11,567	115 6 257	13 7,532		139 15,600
S.M		1,609 3,695	1,702 5,548	6,794	2,104	4,427 18,361		2,401	6,257 15,154	20,808		40,361
S.L.M		692	2,083	7,936	7,934	18,663		551	7,610	16,561		35,921
L.M		54	341	2,829	12,335	15,559	-	98	1,680	10,216		44,279
Total	256	6,050	9,683	18,522	22,508	57,019	-	4,628	30,816	55,130	45,726	136,300
Spotted:												
All grades	-	22	19	332	4,716	5,089	-	24	265	7,819	25,041	33,149
Tinged:												
All grades	-	-	-	9	211	220	-	-	-	515	2,385	2,900
Yellow Stained: All grades	_	_		_		_		_	_		9	9
Light Gray:	_	33	39	-	_	72		79	92	9	_	180
S.M		7,728	5,421	1,431	617	15,197		518	1,900	1,006	152	3,576
M		2,042	768	4,267	5,040	12,117	-	405	1,072	2,166	3,488	7,131
S.L.M		33	-	1,512	7,924	9,469		24	40	1,420	10,134	11,618
Total		9,836	6,228	7,210	13,581	36,855	-	1,026	3,104	4,601	13,774	22,505
Gray:												
All grades	-	1,354	409	312	3,386	5,461		36	90	576	11,507	12,209
Below Grade	_	33	70	30	1,496	1,629	-	_	11	941	47,436	48,388
All grades	3,055	57 018	238 202	110 709	66 306	1/ 475,380	762	240,801	886 125	306 320	176 644	1/1,610,652
Grade index	100.8	98.8	97.8	92.8	84.1	94.8	100.8	101.1	98.1	95.0	75.7	95.5
Staple (inches)												
13/16 & shorter.		20	-	-	-	_			_	6	31	37
7/8		cu cu	609	840	_	_	_	_		-	131	131
29/32		an	800	•	-	-	-	-	-	11	358	369
15/16		C	9	640	157	166	-	-	73	6	4,302	4,381
31/32		ors or	25		1,609	1,634	-	23	74	41	11,809	11,947
1		7 670	627	601	14,774	16,174	-	280	2,108	1,363	45,484	49,235
1-1/32 · · · · · · · · · · · · · · · · · · ·		7,670 41,048	23,205	31,633	35,296 14,321	98,193 306,140	577	12,362	65,911 624,642	40,191	83,539	202,063
1-3/32		8,004	37,033	7,058	239	52,471	125	139,924	187,519	198,866 63,190	29,663	993,672 334,429
1-1/8		131	377	83	= = = = = = = = = = = = = = = = = = = =	591	_	5,718	5,572	2,524	16	13,830
1-5/32		11	-	and	out	11	-	210	215	108	-	533
1-3/16		44	-	100	44	-	-	-	11	14	-	25
1-7/32		€	40	-		-	-	-	gin	-	140	-
1-1/4.& longer =		200	900	tall .	-	640						-
All staples	3,055	57,018	238,202	110,709	66,396	1/ 475,380	762	240,801	886,125	306,320	176,644	1/1,610,652
Average staple												
(32nd inches) .		34.0	34.1	33.8	32.9	33.8	34.1	34.3	34.1	34.1	32.7	34.0
1/ As reported	by the Bu	reau of t	he Census	, running	bales.							

Table 34. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

MISSOURI

NEVADA

0												
Grade and	Prior to	Septembe	nOctober	November	After	Total	Prior to	G	0-4-2		After	Total
staple	Sept. 1	Бересшы	oc cober	Modelither	Nov. 30	Crop	Sept. 1	September	Uctober	November	Nov. 30	Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
Q.M			597	8	-	605	-	-	-		-	
S.M		8,854	32,300	1,223	QIC)	42,377	Com .	-	158	629	145	932
M.+		171	1,822	45	-	2,038	-		-	-	-	~
M		20,291	95,062	5,417	34	120,804	-	3	1,577	1,810	546	3,936
S.L.M		1,156	6,641	294		8,091	-	-	42	9	65	116
L.M.+		6,423	85,930	16,412	318	109,083	-	-	474	151	71	696
		813	11,429	1,644		13,886	-		-		940	ea
L.M		375	4,783	7,005	2,244	14,407		the the	60	gas .		-
S.G.O		21	94	119	88	301	100	1000	-	Sed	-	
		21	119	246	2 65	651	-	160	-			imi
0.0.+		-	18	- 22		18	-	80	-100	-	20	* 2
G.O			18	31	11	60					12	12
Total	- 3	38,104	238,813	32,444	2,960	312,321	-	3	2,251	2,599	839	5,692
Light Spotted:												
Q.M		21	-	-	-	21	-	-	yes	400	***	
S.M		171	1,180	925	-	2,276	-	-	-	-	6	6
M		214	1,981	9,962	50	12,207	009	-	10	_	31	41
S.L.M	-	32	267	13,869	2,941	17,109	-	-	-	9	17	26
L.M			27	3,244	6,993	10,264			-		6	6
Total	-	438	3,455	28,000	9,984	41,877	-		10	9	60	79
Spotted:												
O.M	-	~			-	m		119	•	-	SHB	cros
S.M	_	-	-	42	~ ~	42	-	-	-	CME	-	-
M		-	63	583	34	680	pm	-	**	-	CBS	-
S.L.M	_		-	1,708	1,963	3,671	-	-	4309	_	-	-
L.M		11		841	8,526	9,378	-				6	6
Total	-	11	63	3,174	10,523	13,771	-	-	***	-	6	6
Tinged:							-					
All grades				280	3,789	4,069	-	_				-
	*********			200	3,703	4,009						
Light Gray:												
All grades	-	32	1,138	939	875	2,984	60)	~		**	-	-
Gray:												
All grades	-	-	-	70	437	507	-	-	849	-	-	-
Below Grade	-		-	40	10,690	10,730	-	-	-	-	226	226
				***********								,
All grades	-	38,585	243,469	64,947	39,258	1/386,259	=	3	2,261	2,608	1,131	1/6,003
										100 5	02. 0	00.2
Grade index	-	99.4	97.5	91.7	73.8	94.3	-	100.0	99.0	100.6	91.2	98.2
04 2 -												
Staple												
(inches)										_		
72/16 & about an			_				-		_	-		-
13/16 & shorter.	-	-	949	-		-	-	B)	-		-	
7/8	68	so	-	9	_	-	-	50A \$PP	-	-		
7/8	-		•	8 27	422	8	-	EX	~	-	40	-
7/8	-	-	- - - 18	27	422	8 449		en co	20 24 24	-	40 40 40	-
7/8		-	18	27 90	422 9,727	8 449 9,835	60 60 60 60	gon gon god cos esp esp	-	40 40 40	60 60 60 60	507 (M)
7/8	-	11	18 2 56	27 90 1,845	422 9,727 17,795	8 449 9,835 19,907	60 60 60 60 60 60 60 60 60 60 60 60 60 6	en en on en	-	***	600 600 600 600 600	507 (508 (509 (500)
7/8		11 354	18 256 10,870	27 90 1,845 24,575	422 9,727 17,795 10,548	8 449 9,835 19,907 46,347	600 600 600 600 600 600	20 20 20 20 20 20 20 20 20 20 20 20 20 2	-	-		29
7/8	=	11 354 14,822	18 256 10,870 170,648	27 90 1,845 24,575 33,729	422 9,727 17,795 10,548 739	8 449 9,835 19,907 46,347 219,938	-	20 20 20 21 21		57	29	29
7/8	-	11 354 14,822 21,558	18 256 10,870 170,648 60,444	27 90 1,845 24,575 33,729 4,650	422 9,727 17,795 10,548	449 9,835 19,907 46,347 219,938 86,679		3	20 603			
7/8	-	11 354 14,822	18 256 10,870 170,648	27 90 1,845 24,575 33,729	422 9,727 17,795 10,548 739 27	8 449 9,835 19,907 46,347 219,938	-	3		57	137	214
7/8	-	11 354 14,822 21,558	18 256 10,870 170,648 60,444 1,222	27 90 1,845 24,575 33,729 4,650	422 9,727 17,795 10,548 739 27	449 9,835 19,937 46,347 219,938 86,679 3,085	-	3	603	57 616	137 816	214 2,038
7/8	-	11 354 14,822 21,558	18 256 10,870 170,648 60,444 1,222	27 90 1,845 24,575 33,729 4,650	422 9,727 17,795 10,548 739 27	449 9,835 19,907 46,347 219,938 86,679 3,085	-	-	603 976	57 616 1,800	137 816 140	214 2,038 2,916
7/8	-	11 354 14,822 21,558	18 256 10,870 170,648 60,444 1,222	27 90 1,845 24,575 33,729 4,650	422 9,727 17,795 10,548 739 27	449 9,835 19,907 46,347 219,938 86,679 3,085 11		-	603 976 662	57 616 1,800 135	137 816 140 9	214 2,038 2,916 806
7/8. 29/32. 15/16. 31/32. 1-1/32. 1-1/16. 1-3/32. 1-1/8. 1-5/32. 1-3/16. 1-7/32. 1-1/4 & longer.	-	11 354 14,822 21,558 1,840	18 256 10,870 170,648 60,444 1,222 11	27 90 1,845 24,575 33,729 4,650 23	422 9,727 17,795 10,548 739 27	8 449 9,835 19,907 46,347 219,938 86,679 3,085 11	60 60 60 60 60 60 60 60 60 60 60 60 60 6	-	603 976 662	57 616 1,800 135	137 816 140 9	214 2,038 2,916 806
7/8	-	11 354 14,822 21,558 1,840	18 256 10,870 170,648 60,444 1,222	27 90 1,845 24,575 33,729 4,650 23	422 9,727 17,795 10,548 739 27	8 449 9,835 19,907 46,347 219,938 86,679 3,085 11	60 60 60 60 60 60 60 60 60 60 60 60 60 6	-	603 976 662	57 616 1,800 135	137 816 140 9	214 2,038 2,916 806
7/8. 29/32. 15/16. 31/32. 1-1/32. 1-1/16. 1-3/32. 1-1/8. 1-5/32. 1-3/16. 1-7/32. 1-1/4 & longer. All staples.	-	11 354 14,822 21,558 1,840	18 256 10,870 170,648 60,444 1,222 11	27 90 1,845 24,575 33,729 4,650 23	422 9,727 17,795 10,548 739 27	8 449 9,835 19,907 46,347 219,938 86,679 3,085 11		-	603 976 662	57 616 1,800 135	137 816 140 9	214 2,038 2,916 806
7/8	-	11 354 14,822 21,558 1,840	18 256 10,870 170,648 60,444 1,222 11 	27 90 1,845 24,575 33,729 4,650 23 	422 9,727 17,795 10,548 739 27 - - - 39,258	8 449 9,835 19,907 46,347 219,938 86,679 3,085 11		3	603 976 662 - 2,261	57 616 1,800 135	137 816 140 9	214 2,038 2,916 806
7/8. 29/32. 15/16. 31/32. 1-1/32. 1-1/16. 1-3/32. 1-1/8. 1-5/32. 1-3/16. 1-7/32. 1-1/4 & longer. All staples.		11 354 14,822 21,558 1,840 	18 256 10,870 170,648 60,444 1,222 11 	27 90 1,845 24,575 33,729 4,650 23 - - - 64,947	422 9,727 17,795 10,548 739 27 	8 449 9,835 19,907 46,347 219,938 86,679 3,085 11		-	603 976 662	57 616 1,800 135 	137 816 140 9 - - 1,131	214 2,038 2,916 806 - 1/6,003

Table 35. - Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

NEW MEXICO

NORTH CAROLINA

Grade and staple	Prior to Sept. 1	Septembe	October	Hovember	After Nov. 30	Total Crop	Prior to Sept. 1	Septembe	r October	Movember	After Nov. 30	Total
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bal
hite:		201200				district conditions and the same state of the sa						
G.M	_	3,114	16,389	1,527	153	21,183	- 1	8	13	-	-	;
S.M	-	9,893	61,020	9,216	172	80,301	- 1	4,375	4,519	242	103	9,2
M.+	-	19	171	12	-	202	-	92	187	-	-	2
M		4,007	59,231	21,546	3,350	88,134	-	36,777	81,195	17,124	509	135,60
S.L.M.+		7.7	1,321	1,861	1,008	4,267	- 11	2,940	7,453	2,677	177	13,2
S.L.M		449	5,873	10,766	10,471	27,559	-	10,847	36,445	15,080	2,248	64,6
L.M.+		-	12	623	1,786	2,421	-	634	1,272	679	348	2,9
L.M		-	33	524	2,472	3,029] -	4,931	9,107	2,001	1,004	17,0
3.0.0.+	-	gen	-	25	108	133	- 1	94	53	36	-	1:
8.0.0		_	-	34	1,080	1,114	-	225	1,320	516	180	2,2
0.0.+		-	_	-	37	37	-	-	849	-	-	
G.O		90	_	-	312	312	-	15	219	109	42	31
Totm1		17,559	144,050	46,134		228,692		60,938	141,783	38,464	4,611	245,7
ight Spotted: G.M		_	28	20	_	48	_	-	-	-	_	
S.M		53	930	1,272	694	2,949	-	1,314	1,869	983	300	4,4
М		185	1,138	6,759	9,080	17,162	_	4,800	19,590	4,847	735	29,9
S.L.M		200	104	1,449	8,733	10,286	-	888	2,287	1,330	449	4,9
L.H		_	_	82	2,142	2,224	_	188	760	91	158	1,1
Total	-	238	2,200	9,582	20,649	32,669	_	7,190	24,506	7,251	1,642	40,5
potted:												
All grades	_	-	38	288	4,311	4,637	-	114	96	734	286	1,2
inged:												
All grades	-	-	-	-	899	899	-	t =	-	40		
ellow Stained:												
All grades	-		_	_	62	62	-	_	_	-		
ight Gray: All grades			566	581	1,291	2,438		360	631	370	274	3 6
			300	301	1,691	2,400		300	651	370	C/4	1,6
ray:												
All grades	-	10	42	28	87	167		39	111	52		2
elow Grade		-	-	63	819	819	-	400	120	32	69	1
ll grades	-	17,807	146,896	56,613	49.067	1/ 270,383		68,641	167,247	46,943	6,813	1/ 289,6
rade index		102.9	101.9	98.5	90.8	99.3	-	97.5	96.9	95.9	92.3	96
Staple (inches)												
3/16 & shorter.			21		514	535						
8		10	141	252	2,377	2,780			10	13	_	
7/32			282	1,104	3,472	4,858			_	10	_	
5/16		10	1,452	4,892	13,209	19,563		_	29	188	-	2
/32		30	2,082	2,096	1,195	5,403		9	30	60		-
		141	1,726	1,712	4,590	8,169		722	1,114	726	502	3,0
1/32		98	2,637	1,114	527	4,376		25,631	55,575	14,667	2,866	
1/16		229	3,576	4,047	8,444	16,296		40,763	103,742	29,522	3,046	98,7
3/32		499	10,594	6,730	8,781	26,604					399	177,0
1/8				27,071				1,501	6,422	1,651		9,9
5/32		5,132	66,150		5,412	103,765	-	15		116	-	4
3/16		10,841	55,543	6,863	220	73,467	-		600	-	04	
· .		596	1,679	216	189	2,680	-	-	-	-	-	
7/32		161	250	132	22	464	-	-	-	•	-	
1/4 & longer .		17 807	763 146,896	384	115	1,423		60 641	167 247	46 042	5 030	3 / 000 -
ll staples		17,807	140,890	56,613	49,007	1/ 270,383	-	08,041	167,247	46,943	6,813	1/ 289,6
gerage staple (32nd inches) .		36.6	36.1	34.8	32.4	35.2		33.6	33.7	22.7	22 5	00
	200	30.0	30.1	J4.0	26.4	33.6	000	33.0	33./	33.7	33.5	33

Table 36. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

OKLAHOMA

SOUTH CAROLINA

Grade and staple	Prior Sept.	September 1	er October	November	Nov. 30	Total Crop	Prior to Sept. 1	Septembe	r October	November	After Nov. 30	Total Crop
Grade	Bale	s Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bal
hite:				10 to 10 to 10	200200	2020	Daiob	Daros	Darco	Dates	Daics	Dar
G.M	2		==		-	-	-	27	8	-	-	
S.M		- 1,239	1,621	120	-	2,980	17	11,350	7,939	572	-	19,8
M.+		- 135	59	21	220	215	203	780	1,093	157	-	2,0
S.L.M.+	0	5 ,399 379	13,593	1,420	230 135	20,642 2,037	231	76,775	92,161 5,602	9,126	838 180	179,13
S.L.M		- 2,067	13,330	8,369	8,534	32,308	263	40,219	46,779	14,747	950	102,9
L.M.+		99	1,161	1,788	1,339	4,387	-	2,227	2,371	1,113	33	5,74
L.M		- 132	2,742	5,643	7,724	16,241	61	7,473	8,198	2,876	1,108	19,7
S.G.O.+	,	- 20	149	295	333	797	-	148	91	73	-	3:
S.G.O	•	e0 ==	328	572	787	1,687	-	415	547	351	349	1,60
G.O		_	28 70	10 77	33 48	71 195	-	-	011	53	13	
Total	,	9,470	34,235		19,163	81,560	572	141,653	164 790		3,471	341,2
ight Spotted:	-2	- 9,470	34,233	10,092	19,105	01,000	3/2	141,003	104,709	30,792	3,4/1	341,2
G.M	1		9	-		9	-	04	8	-	-	
S.M	>	- 6,313	10,236	317	23	16,889	44	5,999	7,712	1,344	79	15,1
M		- 12,285	55,925	13,249	10,458	91,917	127	7,874	8,239	2,042	540	18,8
S.L.M		2 ,857	25,716	33,598	44,306	106,477	61	5,282	4,122	1,691	786	11,9
L.M	-	266	2,336	6,985	16,696	26,283	17	1,328	736	469	481	3,0
Total potted:		- 21,721	94,222	54,149	71,483	241,575	249	20,483	20,817	5,546	1,886	48,9
G.M		. 40	-		dat	-	100	***	-		_	
S.M		- 21	400	74	33	528	-	31	_	-	-	
M		- 121	2,138	1,970	5,459	9,688	6	40	20	-	18	
S.L.M		~ 41	787	4,224	13,535	18,587	6	13	39			
L.M		- 21	161	656	4,716	5,554	-	26	69	28	18	1
Total		204	3,486	6,924	23,743	34,357	12	110	128	28	36	3
inged: All grades		_ 10	203	319	3,875	4,407		13	w	-	=	
ellow Stained: All grades		_	_	_	9	9	-	_	_	_	_	
ight Gray:												
G.M			-	-	-		-	13	4 242	- 050	* 03	0.4
S.M		-	585	29 222	65 209	679	-	4,069	4,242	1,053	102 399	9,4 10,8
M			237 61	10	51	668 122	43	4,697 735	4,391 430	78	39	1,2
Total			883	261	325	1,469	43	9,514	9,063	2,445	540	21,6
ray:												
All grades		- 0	=	21	18	39	6	949	821	138	20	1,9
elow Grade		- 10	141	246	2,548	2,945	-	27	91		77	1
l grades	1	31,415	133,170	80,612	121,164	1/ 366,361	882	172,749	195,709	38,949	6,030	1/414,3
ade index		97.6	95.0	89.5	86.4	91.2	95.0	97.0	97.1	94.7	90.1	96
Staple (inches)												
3/16 & shorter.		E 009	960	9	9	18	_		eso	_	_	
8		72	417	68	969	1,526	-	13	-	90	-	
9/32		394	4,341	898	8,425	14,058	-	13	11	-	-	
5/16		4,078	30,827	16,387	57,829	109,121	-	26	143	52	156	3
/32		9,622	49,043	39,587	43,398	141,650	-	611	519	651	160	1,9
1/22		9,124	25,123	15,599	7,109	56,955	466	15,488	11,413	4,186	1,126 2,495	32,2: 242,9
1/32		4,570	10,157 6,433	3,870 2,796	2,230 980	20,827	393	37,096	68,481	12,334	1,770	120,0
3/32		940	4,795	1,134	194	7,063	6	2,274	11,445	1,617	323	15,6
1/8		345	1,820	236	21	2,422	-	109	894	-	-	1,0
5/32		27	137	28	-	192	-	an an	16	-	-	
3/16		-	22	923	-	22		94	11	62	-	
7/32		-	9	-	-	9	-	-	66	CHO		
1/4 & longer .		23 43 5	46	90 533	121 164	46	002	172,749	105 700	38,949	6.030	1/ 414,3
1 staples		31,415	133,170	80,612	121,164	1/ 366,361	682	172,749	190,109	50,549	0,030	<u></u>
erage staple				31.2	30.5	31.1	33.4	33.1	33.4	33.3	33.1	33

Table 37. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

TENNESSEE

TEXAS

Trade and	Prior to	Septembe	r October	November	After	Total	Prior t	Septembe	er October	Novembe	After	Total
staple Grade	Bales	Bales	Bales	Bales	Nov. 30	Crop Bales	Sept. 1 Bales	Bales	Bales	Bales	Nov. 30	
White:	Duzoo	Daxoo	Bulos	20.100	20200	2000	Buren	Daros	Darco	20200	200200	20200
G.M	-	403	391	-	-	794	409	13,156	19,478	203		33,246
S.M	40	39,229	101,254	9,454	***	149,937	47,869	93,068	206,999	34,009	858	
M.+		1,790	2,749	321	-	4,860	1,522	2,112	2,240	675	61	
М		22,463	120,717	23,322	abs	166,502	179,501	95,656	312,528	133,294	40,816	
S.L.M.+	_	281 1,587	4,254	1,358	1,801	5,893 60,469	7,634	4,491 37,737	8,455 53,477	5,780 156,907	189,602	
L.M.+		134	3,518	1,122	126	4,900	5,457	5,161	4,412	11,240	14,946	
L.M	es:	134	6,416	7,377	4,103	18,030	35,486	12,220	12,000	19,609	41,430	
3.0.0.+	-	-	243	52	11	306	459	755	449	675	1,276	
\$.0.0	-	-	175	294	239	708	2,781	1,518	1,399	1,322	3,965	10,985
0.0.+	~	-	40		-	-	21	107	19	9	55	
G.O			12	24	14	50	412	353	152	162	732	1,811
Total	**	66,021	277,338	62,796	6,294	412,449	435,040	266,334	621,608	363,885	296,451	1,983,318
Light Spotted:	-											
G.M	60	-	-		-	40	77	723	428	66	21	1,315
S.M	-	232	1,549	4,558	112	6,451	34,798	69,977	167,927	64,876	15,074	
М	-	169 24	1,611 425	13,048	1,425 9,428	16,253	96,013	165,097 94,946	157,067	328,168	480,593	1,226,938
S.L.M	-	-	425	16,560 9,238	13,439	26,437	8,103	13,210	91,122	9,071	395,432 46,415	723,092 94,545
Total	-	425	3,634	43,404	24,404	71,867	179,721	343,953	434,290	503,043	937,535	2,398,542
Spotted:	-											
0.M	•	-	-	000	449	-	-	10	-	-	-	10
S.M	-	12	88	514	21	635	186	375	791	857	3,466	5,675
М	•	12	53	2,601	705	3,371	728	1,909	2,926	8,106	100,864	114,533
S.L.M	QI)	011	13	9,447	10,059	19,519	950	2,045	3,746	2,908	97,905	107,554
L.M		-	-	3,765	11,278	15,043	1,038	1,262	1,865	657	19,986	24,808
Total	-	24	154	16,327	22,063	38,568	2,902	5,601	9,328	12,528	222,221	252,580
Tinged: All grades		-	_	2,507	11,908	14,415	31	108	66	305	69,483	69,993
Yellow Stained: All grades	G0	-	_	CE	106	106	-	-	-	_	5,318	5,318
Light Gray: All grades	_	12	477	1,111	428	2,028	31,238	2,573	2,857	3,634	9,143	49,445
Gray: All grades	00			88	241	329	2,082	193	520	444	1,418	4,657
ATT BLUGGE					271	229	2,002	13.7	320	1	1,410	4,037
Below Grade	-	-		191	10,357	10,548	326	740	2,264	976	6,335	10,641
All grades		66,482	281,603	126,424	75,801	1/ 550,310	651,340	619,502	1,070,933	884,815	1,547,904	1/4,774,494
Grade index	-	102.2	100.1	92.4	77.8	95.5	96.1	96.9	98.7	95.9	91.2	95.2
Staple (inches)												
13/16 & shorter.	-	tio .		200	-	-	-	22	386	29	767	1,204
7/8	-	-	-	en	-	-	64	1,072	7,466	2,516	23,446	34,564
29/32		12	25	10	951	006	1,146	9,438	74,348	80,545	360,682	526,159
15/16		12	25 13	18 27	851 2,227	906 2,267	14,359 67,865	123,850 196,942	365,394 266,040	203,571	1,005,774	1,992,948
1	-	_	190	2,397	22,895	25,482	175,147	94,061	102,081	39,063	17,653	428,005
1-1/32	-	1,445	13,478	49,382	46,328	110,633	290,192	64,067	50,605	14,693	6,815	426,372
1-1/16	-	51,313	232,046	70,004	3,468	356,831	92,647	67,709	41,476	12,577	8,018	222,427
1-3/32	600	12,849	34,746	4,462	32	52,089	7,892	19,992	35,416	12,959	8,639	84,898
1-1/8	-	556	1,092	73	-	1,721	1,817	15,521	53,981	27,219	3,312	101,850
1-5/32	Co.	179	13	49	-	241 140	68 55	24,882	69,202 1,269	6,702	101	100,955
1-3/16		128		12		140	46	1,174	1,192	410	215 68	2,812 1,963
1-1/4 longer	_	_		100	_	_	42	525	2,077	873	20	3,537
All staples	98	66,482	281,603	126,424	75,801	1/ 550,310						1/4,774,494
Average staple												
(32nd inches) .		34.2	34.1	33.6	32.7	33.8	32.6	32.0	31.6	30.7	29.9	31.1
1/ As reported	by the Bur	eau of th	e Census	running	bales.							

Table 38. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1961-62

VIRGINIA


Deutember October November	otal rop Bales
Grade Bales Bales Bales Bales Bales Bales White:	
White: G.M	bales
G.M	-
S.M	-
M.+ 27 353 109 - 25.L.M.+ 4 126 13 - 25.L.M 622 2,341 1,392 20 L.M.+ 91 20	_
M	_
S.L.M.+ 4 126 13 - S.L.M 622 2,341 1,392 20 L.M.+ 91 20	100
S.L.M 622 2,341 1,392 20 L.M.+ 91 20	489
L.M.+ 91 20	143
	4, 375
20 30 30 70	514
S.G.O.+ = = = = 20	20
S.G.O	
G.O.+	
G.O	_
Total = 680 2,870 1,964 138	5,652
Light Spotted:	
G.M	-
S.M 21 -	21
M 4 659 918 349	1,930
S.L.M = 54 105 232 188	579
L.M 11 - 16	27
Total = 58 775 1,171 553	2,557
Spotted:	
All grades 69	69
All grades = 738 3,645 3,135 760 <u>1</u> /	8,278
Grade index = 93.6 94.9 93.6 92.4	94.1
Staple (inches)	
13/16 & shorter	-
7/8	-
29/32	-
15/16 5	5
31/32	-
1 = - 28	28
1-1/32 31 60 171 156	418
	6,353
	1,384
1-1/8 13 77 -	90
1-5/32	-
1-3/16	-
1-7/32	_
1-1/4 & longer	
All staples 738 3,645 3,135 760 1/	8,278
Average staple (32nd inches). = 34.0 34.2 34.2 33.7	34.1

^{1/} As reported by the Bureau of the Census, running bales.

Table 39. -- Grade and staple of upland cotton ginned, by States and districts, 1961-62

ALABAMA ARTZONA Ginned Ginned in District Ginned Ginned in District in the Grade and staple in the 4 1 2 1 2 3 3 State State Grade Bales Bales Bales Bales Bales Bales Bales Bales Balles White: G.M. . . . 280 10 487 1,915 2,782 685 5,869 140 430 136,129 S.M. 84,720 19,993 543 105,256 45,271 71,121 7,284 12,453 2,673 M.+. . 109 2,592 331 9 2,932 476 1,576 512 220,696 128,441 349,673 111,101 91,983 17,612 22,085 172,680 26,467 10,989 S.L.M.+. . . 4,522 3,139 582 8,243 531 5,032 4,614 812 S.L.M. . . 32,978 25,175 18,641 76,794 12,917 33,049 30,697 5,109 81,772 1,606 3,901 L.M.+. . . 2,347 1,840 5,793 171 1,683 1,907 140 44,616 5,626 13,118 L.M. . . 10,994 8,040 25,582 1,034 5,623 835 S.G.O.+. . 306 67 237 16 370 293 666 19 98 S.G.O. . . . 1,904 131 5,152 1,668 8,765 12,337 407 2,314 2,300 56 G.O.+. . . 12 12 39 17 G.O. . . . 1,208 250 645 10 1,407 164 231 1,603 502 Total 251,920 41.598 611.109 152,607 74,851 479,378 50,830 225.546 293.135 Light Spotted: G.M. 11 110 22 42 35 S.M. . . 8,191 4,298 1,272 9,023 12,125 559 24,815 13,761 3,108 73,558 M. . 12,943 9,277 14,193 36,413 4,497 36,090 30,430 2,541 S.L.M. . 13,564 26,335 14,754 2,719 15,492 32,965 2,604 9,456 711 L.M. . . 7,720 750 5,386 13,856 1,284 11,611 13,019 564 26,478 43,608 36,343 4,386 151,296 Total 17,044 96,995 11,515 70,330 65,065 Spotted: 7,091 All grades . . 13,947 1,093 610 15,650 782 3,289 2,759 261 Tinged: 170 All grades . 6,962 199 38 29 50 7,161 Yellow Stained: All grades . . . 123 123 Light Gray: All grades . . 11,839 1,366 1,330 9,143 2,204 1,700 4,768 Gray: All grades . . . 172 118 3,096 3,386 60 89 213 64 Below Grade. . . 5,160 20,856 268 636 6,064 1,697 6,846 11,914 399 All grades 323,258 124,679 795,503 172,659 1/ 620,596 67,126 307,829 373,789 46,759 Grade index. . . 96.6 97.8 90.0 95.6 96.9 96.8 97.2 98.6 97.1 Staple (inches) 13/16 & shorter. 7/8. . . 259 46 305 28 37 69 134 29/32. 1,025 23 122 1,170 18 18 15/16. . 3,453 191 1.113 4,757 666 1,821 2,165 40 4.692 31/32. 3,273 541 6,933 10,747 1,315 5,408 5,806 12,529 32,016 21,710 7,494 5,197 61,220 26,052 27,895 297 60,441 1-1/32 79,039 78,480 65,773 223,292 15,625 66,181 89,193 168 171,167 1-1/16 186,803 82,117 18,212 287,132 40,630 199,019 231,043 1,936 472,628 1-3/32 . 26,672 3,741 30,865 452 2,282 8,947 14,088 4,988 30,305 1-1/8. 997 72 12 1,081 365 345 2,907 23,127 26,744 1-5/32 . . . 27 27 440 16,044 16,484 1-3/16 . . . 10 159 96 265 1-7/32 1-1/4 & longer . 96 All staples. . . 323,258 172,659 124,679 1/ 620,596 373,789 1/ 795,503 67,126 307.829 46,759 Average staple (32nd inches) . . 33.6 33.5 32.8 33.4 33.5 33.6 33.6 36.1 33.7

As reported by the Bureau of the Census, running bales.



ARIZONA
DISTRICTS FOR COTTON
QUALITY REPORTS

Table 40. -- Grade and staple of upland cotton ginned, by States and districts, 1961-62

CALIFORNIA ARKANSAS Ginned in District dinned Ginned in District Ginned in the Grade and staple in the 1 1 2 2 3 A State State Bales Grade Bales Bales Bales Bales Bales Bales Bales White: 4,639 G.M. 268 75 375 4,218 421 32 2,904 15,507 S.M. 99,158 148,277 6,097 44,561 152,720 132,770 1,251 35,328 1,238 461 M.+. 9,589 47,406 370 91 1,113,724 11,057 307,402 30,384 155,651 504,494 1.021.502 92,162 1,258 63,468 8,953 576 9,529 S.L.M.+. 37,781 3,115 21,314 S.L.M. . 4,084 143,257 24,010 132,520 303,871 243,707 44,761 288,468 5,149 L. M. +. 381 969 31,774 1,372 18,736 52,851 4,768 1,065 81,782 36,130 4,190 L.M. 40,396 4,779 35,542 40,320 S.G.O.+. 67 1,204 31 1,051 2,353 650 41 691 1,359 9,362 S.G.O. . 12,275 8,003 171 4,402 628 7,074 G.O.+. . . . 66 59 125 33 33 2,161 G.O. . . 21 514 76 871 1,482 2,021 140 1,622,814 Total 22,847 701,550 71,762 427,043 1,223,202 1,463,185 159,629 Light Spotted: G.M. . . . 9 9 160 160 S.M. . . 340 2,665 802 2,350 6,157 704 7,445 8,150 9,013 1.064 15,041 3,986 12,875 32,966 2,792 6,221 S.L.M. . 1,358 23,990 2.893 17,127 45,368 3.153 4.634 7,787 8,124 781 29,560 2,963 19,840 53,144 3,354 4,770 Total 3,543 23,080 33,083 71,416 10,644 52,192 137,795 10,003 Spotted: G.M. . 10 35 35 11 21 S.M. 51 106 10 176 343 16 84 100 и. . 98 921 198 2,001 382 446 784 64 S.L.M. . 470 5.996 4,709 403 104 507 672 11,847 L.M. . . 422 20,066 903 8,586 803 100 1,193 30,267 Total 1.041 27,099 2.073 14,266 44,479 1,286 705 1.991 Tinged: All grades . 86 5,004 209 1,545 6,844 54 Yellow Stained: All grades 28 28 Light Gray: All grades 77 5,185 2,924 8,351 16,537 Gray: All grades . 11 755 741 981 2,488 2,331 266 2,597 Below Grade. . 74 20,452 775 7,530 28,831 1,387 1,853 3,240 All grades . . . 511,908 1/ 1,709,472 27,679 831,489 89,128 1,460,204 1,510,750 198,722 Grade index. . . 96.2 95.1 94.2 94.9 94.8 98.5 97.0 98.3 Staple (inches) 13/16 & shorter. 7/8. 18 9 161 179 9 29/32. 472 20 11 503 120 120 15/16. 248 6,736 75 263 7,322 20 1,565 1,585 3,578 9,999 542 14,540 31/32. . 421 216 3,739 3,955 4,164 1,578 35,634 20,938 5,238 62,314 16,922 22,160 1-1/32 84,566 5,568 12,498 64,396 167,028 52,632 49,279 101,911 1,184,860 1-1/16 . 12,328 448,208 48,062 234,487 743,085 1,058,954 125,906 1-3/32 7,159 230,620 23,121 172,869 433,769 391,239 1,182 392,421 30,587 14,570 15,022 1-1/8. . 329 666 2,310 2,310 1-5/32 492 334 836 141 1-3/16 10 31 41 1-7/32 1-1/4 & longer . All staples. . . 1/1,709,472 27,679 831,489 89,128 511,908 1/ 1,460,204 1,510,750 198,722 Average staple (32nd inches) . 33.9 34.1 34.0 34.2 34.1 34.2 33.5 34.1

^{1/} As reported by the Bureau of the Census, running bales.




Table	41 G	rade and s	taple of up	land cotton gi	nned, by Sta	ates and	districts,	1961-62	
		GE	ORGIA				LOUISIANA	I	
***************************************	G1:	nned in Di	strict	Ginned		Ginned in	n District		Ginned
Grade and staple	1	2	3	in the State	1	2	3	4	in the State
Grade White:	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M	59	84	-	143	-	-	76	33	109
S.M	13,280	11,761	1,691	26,732	7,604	-	32,234	9,022	48,860
M.+	2,283	1,522	32	3,837	362	-	4,585	451	5,398
M	72,521	73,160	42,287	187,968	32,943	45	76,442	37,334	146,764
S.L.M.+	6,699	6,841	867	14,407	829	62	9,500	2,347	12,738
S.L.M	12,434	56,025	30,113	98,572	27,031	80	59,028	10,671	96,810
L.M.+	1,016	4,751	1,172	6,939	1,260	-	6,165	295	7,720
L.M	3,793	16,613	16,969	37,375	10,213	13	28,776	1,976	40,978 263
S.G.O	241 1,066	504 2,227	67 3,325	812 6,618	1,494	_	6,804	191	8,489
G.O.+	9	31	3,323	40	1,494	_	0,004	7.97	0,409
G.O	113	452	378	943	249	-	695	34	978
Total	113,514	173,971	96,901	384,386	82,025	200	224,528	62,354	369,107
Light Spotted:		7.7		7.7					
G.M	2,783	3 406	1,017	7,206	1 319	-	947	2,162	4,427
S.M	6,531	3,406 18,503	15,815	40,849	1,318	417	5,949	6,211	18,361
S.L.M.	2,780	16,539	8,716	28,035	5,390	146	11,480	1,647	18,663
L.M	1,931	4,370	3,437	9,738	2,903	50	12,336	270	15,559
Total	14,025	42,829	28,985	85,839	15,404	613	30,712	10,290	57,019
Spotted: All grades	3,232	1,374	167	4,773	1,479		3,527	83	5,089
Tinged:	7,232	1,074	107	+, 115	1,473		3,327		0,003
All grades	1,042	13	-	1,055	81	-	139	_	220
Yellow Stained: All grades	57	-	-	57	-		**	64d	-
Light Gray:									
G.M	470	2 000	E 406	0 000	7 462	-	=	72	72
S.M	418 533	2,888	6,496 11,215	9,802 15,403	1,462		518 5,173	13,217	15,197 12,117
M	117	3,655 403	2,616	3,136	1,420		7,223	4,195 826	9,469
Total	1,068	6,946	20,327	28,341	5,631		12,914	18,310	36,855
Gray:									
All grades	34	1,277	3,828	5,139	235	**	3,404	1,822	5,461
Below Grade	1,150	282	827	2,259	523	-	1,007	99	1,629
All grades	134,122	226,692	151,035	1/511,849	105,378	813	276,231	92,958	1/ 475,380
Grade index	97.3	95.2	93.5	95,2	94.5	94.2	94.0	97.7	94.8
Staple (inches)									
13/16 & shorter	-	17	37	54	-	-		•••	_
7/8	9	434	508	951	-		-	-	
29/32	46	1,211	1,803	3,060	-	-	400	-	-
15/16	201	4,865	9,381	14,447	53	100	83	30	166
31/32	827	16,464	18,438	35,729	133	25	1,476	-	1,634
1	5,132	63,629	44,318	113,079	3,901	25	10,673	1,575	16,174
1-1/32	27,580	104,309	61,780	193,669	27,219	171	43,689	27,114	98,193
1-1/16	72,577	34,254	14,374 396	121,205	69,689	383	174,964	61,104	306,140
1-3/32	24,237 3,134	1,399	390	26,032 3,235	4,329	209	44,798 537	3,135	52,471 591
1-5/32	361	9		370	-	_	11		11
1-3/16	18	_	_	18	_	-	600	-	-
1-7/32	ရာ	Con Con	-	-	-	~	-	-	-
1-1/4 & longer	***	_	-	=	-	**	-	-	

1/ 511,849

32.9

105,378

33.7

813

33.9

276,231

33.9

92,958

33.7

1/ 475,380

33.8

33.9

226,692

32.6

151,035

32.3

All staples. . . . 134,122

Average staple (32nd inches) . .

^{1/} As reported by the Bureau of the Census, running bales.




Table 42. - Grade and staple of upland cotton ginned, by States and districts, 1961-62

NEW MEXICO MISSISSIPPI Ginned in District Ginned Ginned in District Ginned in the Grade and staple in the 2 3 1 2 1 4 State State Bales Bales Bales Bales Bales Grade Bales Bales Bales White: 1,460 1,520 19,663 21,183 G.M. . . 940 358 131 31 54,203 80,301 155,908 102,250 24,742 4.467 287,367 26,098 42,843 29,170 3,412 8,801 1,460 202 202 40,655 337,158 139,833 51,584 23,129 551,704 47.479 88.134 2,828 S.L.M.+. 38,368 4,391 4,282 1,086 48,127 1,439 4,267 239,485 42,203 11,549 8,346 301,583 10,222 17,337 27,559 S.L.M. L.M.+. 25,127 3,728 493 243 29,591 304 2,117 2,421 72,949 14,952 698 53,710 3,589 725 2,304 3,029 L.M. S.G.O.+. . . . 1,426 1,158 193 75 28 105 133 S.G.O. 10,774 2,925 108 14,681 140 974 1,114 51 37 32 19 -37 65 3,410 71 247 312 2,922 423 894,752 88,228 140,464 228,692 314.687 106.185 39,568 1,355,192 Light Spotted: 22 101 10 139 48 48 2,949 3,249 2,122 15,600 1,870 1,079 6,007 4,222 6,517 24,968 3,492 3,689 8,212 40,361 10,645 17,162 6,955 22,544 10,401 1,923 1,053 35,921 3,331 10,286 S.L.M. . . . 30,135 L.M. . . . 12,919 199 972 1,252 2,224 1,026 44,279 83.660 35,776 9.791 7.073 136.300 12.690 19.979 32.669 Total Spotted: 12,902 1,243 1,217 18,953 51 33,149 4,637 All grades . . 3,420 Tinged: 1,802 107 1,025 2,900 All grades . . Yellow Stained: 9 9 All grades . 62 Light Gray: 3,563 22,505 All grades . . 16,106 1,163 1,673 129 2,309 2,438 ____ Gray: 10,925 76 All grades . . . 1.026 182 12,209 167 167 Below Grade. . . 48,388 All grades . . . 1,060,643 382,162 119,404 48,443 1,610,652 102,968 167,415 1/ 270,383 94.8 98.6 Grade index. . . . 96.2 98.3 95.5 99.1 99.4 99.3 Staple (inches) 13/16 & shorter. . 18 19 37 535 535 131 131 2,780 2,780 29/32. . . 199 170 369 58 4,800 4,858 15/16. . . . 3,163 1,134 63 21 4,381 246 19,317 19,563 31/32. . . . 9,408 2,243 290 6 11,947 75 5,328 5,403 32,657 13,974 1,824 780 49,235 298 7,871 8,169 1-1/32 99,696 60,031 28.595 13.741 202,063 157 4,219 4,376 251,678 1-1/16 635,795 75,811 2,053 30,388 993,672 14,243 16,296 12,270 51,360 17,808 1-3/32 . . . 267,360 3,439 334,429 8,796 26,604 1-1/8. 506 11,777 1,479 68 13,830 40,842 62,923 103,765 24,870 1-5/32 433 55 45 533 48,597 73,467 19 25 1-3/16 6 987 1,693 2,680 1-7/32 23 441 464 587 836 1,423 1-1/4 & longer . All staples. . . 1,060,643 382, 162 119,404 48,443 1/ 1,610,652 102,968 167,415 1/ 270,383

36.4

34.4

35.2

34.0

34.1

33.9


33.8

33.8

Average staple

(32nd inches)

^{1/} As reported by the Bureau of the Census, running bales.



NEW MEXICO DISTRICTS FOR COTTON QUALITY REPORTS





Table 43. -- Grade and staple of upland cotton ginned, by States and districts, 1961-62

NORTH CAROLINA

OKLAHOMA

	G.f	Inned in Dis	trict	Ginned	G1:	nned in Dis	trict	@inned
Grade and staple	1	2	3	in the State	1	2	3	in the State
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M	13	8	2 207	21	2 622	103	255	2,980
S.M	5,185 133	1,667 84	2,387 62	9,239 279	2,622	21	233	215
M	25,084	70,407	40,114	135,605	16,868	1,337	2,437	20,642
S.L.M.+	1,960	9,003	2,284	13,247	1,590	188	259	2,037
S.L.M	6,421	39,147	19,052	64,620	24,130	3,717	4,461	32,308
L.M.+	165	1,922	9,377	2,933	2,922	827 2,502	638 3,276	4,387 16,241
S.G.O.+	1,472	6 , 194	9,377	17,043 183	498	200	99	797
S.G.O	163	838	1,240	2,241	1,028	298	361	1,687
G.O.+	-	693	-	-	52	-	19	71
G.O	13	132	240	385	39	40	116	195
Total	40,626	129,484	75,686	245,796	60,406	9,233	11,921	81,560
Light Spotted:								
G.M	1,402	879	2,185	4,466	9 16,163	214	512	9 16,889
S.M	6,481	9,158	14,333	29,972	79,982	2,610	9,325	91,917
S.L.M.	840	1,694	2,420	4,954	86,065	6,583	13,829	106,477
L.M	201	155	841	1,197	17,143	4,193	4,947	26,283
Total	8,924	11,886	19,779	40,589	199,362	13,600	28,613	241,575
Spotted:								
G.M	-	-	-	-	-	-	- •	-
S.M	149	~	45	194	490	9	29	528
М	428	56	40	524	8,730	246	712	9,688
S.L.M	287 89	47	62 27	396 116	15,902 4,237	1,246 774	1,439 543	18,587 5,554
Total	953	103	174	1,230	29,359	2,275	2,723	34,357
Tinged:								
All grades	40	-		40	4,156	168	83	4,407
Yellow Stained: All grades	-		wa	-	9	-	=	9
Light Gray: All grades	245	913	477	1,635	1,225	213	31	1,469
Gray: All grades	30	155	17	202	28	11	-	39
Below Grade	an	54	98	152	2,546	171	228	2,945
All grades	50,818	142,595	96,231	1/289,644	297,091	25,671	43,599	1/366,361
Grade index	98.1	96.8	95.9	96.8	91.6	88,3	90.2	91.2
Staple (inches)								
13/16 & shorter	-		-	-	18	date	-	18
7/8	-	13	10	23	1,298	19	209	1,526
29/32	170	- 20	18	217	11,547	379	2,132	14,058
31/32	179 60	20	39	217 99	92,111	4,268 9,316	12,742 16,42 9	109,121 141,650
1	901	498	1,665	3,064	45,849	5,354	5,752	56,955
1-1/32	10,587	43,694	44,458	98,739	16,946	2,175	1,706	20,827
1-1/16	34,052	94,244	48,777	177,073	8,397	1,757	2,298	12,452
1-3/32	4,704	4,015	1,254	9,973	3,655	1,667	1,741	7,063
1-1/8	335	111	10	456	1,141	720	561	2,422
1-5/32		-	-	-	147	16	29	192
1-3/16				-	22	-		22
1-1/4 & longer	-	-		-	46		-	46
All staples	50,818	142,595	96,231	1/ 289,644	297,091	25,671	43,599	1/ 366,361
Average staple	22.0	22.7	22.5	20.7	21.0	21.0	22.2	
(32nd inches)	33.8	33.7	33.5	, 33.7	31.0	31.8	31.2	31.1
1/ As reported by t	he Bureau	of the Censu	is minning	hales				

^{1/} As reported by the Bureau of the Census, running bales.




NORTH CAROLINA DISTRICTS FOR COTTON QUALITY REPORTS



OKLAHOMA
DISTRICTS FOR COTTON
QUALITY REPORTS

Table 44. -- Grade and staple of upland cotton ginned, by States and districts, 1961-62

SOUTH CAROLINA TENNESSEE Ginned in District Ginned Oinned in District Ginned Grade and staple in the in the 1 2 3 2 State State Bales Grade Bales Bales Bales Bales Bales Bales White: G.M. . 794 35 35 747 47 S.M. 7,431 5,704 149,937 9,427 4,747 19,878 142,506 M.+. 1,280 2,030 4,579 281 4,860 605 145 166,502 M. . 46.565 91,150 179,131 159,089 7,413 41,416 S.L.M.+. 5,893 3,817 1,593 9,745 5,625 268 4,335 S.L.M. 896 60,469 10,647 52,490 39,821 102,958 59,573 L.M.+. 574 137 4,900 2,574 2,596 5,744 4,763 L.M. 531 18,030 821 8,389 10,506 19,716 17,499 S.G.O.+. 312 293 13 306 34 138 140 S.G.O. 708 88 791 708 783 1.662 0.0.+. 0.0. 66 66 50 50 Total 412,449 69,530 169,899 101,848 341,277 395,432 17,017 Light Spotted: G.M. R R S.M. . . 6,451 2,652 8,653 3,873 15,178 5,915 536 8,353 16,253 2,287 8.182 18,822 15,102 1,151 S.L.M. 1,331 26,437 801 4,163 6,978 11,942 25,106 L.M. 229 492 21,580 1,146 22,726 2,310 3,031 Total 5,969 21,661 21,351 48,981 67,703 4,164 71,867 Spotted: G.M. . S.M. 31 31 635 635 и. . 6 255 3,371 32 46 84 3,116 S.L.M. 19,519 58 58 17,534 1,985 L.M. 18 39 84 141 14,201 842 15,043 Total 50 148 314 35,486 3,082 38,568 116 Tinged: 14,415 All grades . . . 13 13,292 13 1.123 Yellow Stained: All grades . . 106 106 Light Gray: G.M. 13 12 12 13 S.M. . 208 4,189 4,979 9,466 673 673 197 4,073 5,574 10,844 1,006 1,006 S.L.M. 286 1,282 337 996 337 Total 495 8,548 2,028 12,562 21,605 2,028 Grav: All grades . . . 21 549 1,364 1,934 329 329 10,548 Below Grade. 77 195 10,209 339 118 All grades . . . 76,065 200,850 137,404 1/ 414,319 524,585 25,725 1/550,310 Grade index. . . 98.8 97.1 95.0 96.7 95.5 95.1 95.5 Staple (inches) 13/16 & shorter. 7/8. 13 13 29/32. 24 24 15/16...... 82 295 377 803 103 906 31/32. 35 430 2,267 2,267 1,476 1,941 1,082 11,281 19,867 32,230 24,408 1,074 25,482 1-1/32 . . . 21,454 132,757 88,754 242,965 104,401 6,232 110,633 1-1/16 120,074 41,189 52,810 26,075 340,226 16,605 356,831 1-3/32 11,448 3,343 874 15,665 50,928 1,161 52,089 850 1,478 1,721 1-1/8. 127 26 1,003 243 179 1-5/32 Q 16 62 241 1-3/16 11 11 12 128 140 1-7/32 1-1/4 & longer . .. All staples. . . . 76,065 200,850 137,404 1/ 414,319 524,585 25,725 1/550,310 Average staple (32nd inches) . 33.9 33.2 33.8 33.0 33.3 33.8 33.8 As reported by the Bureau of the Census, running bales.







TENNESSEE
DISTRICTS FOR COTTON
QUALITY REPORTS

Table 45. -- Grade and staple of upland cotton ginned in Texas, by districts, 1961-62

					Ginned in	District					Ginned in th
Orade and staple	1	2	3	4	5	6	7	8	9	10	State
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:	750	148	-	11	108	31,856		117	129	127	33,246
S.M	185,316	23,913	148	4,087	7,119	113,222	324	15,823	7,159	25,692	382,803
M.+	2,596	549	26	87	604	765	78	543	331	1,031	6,610
M	397,166	60,446	374	29,028	16,087	74,947	1,745	58,087	16,603	107,312	761,795
S.L.M.+	11,386	3,658	9	1,286	1,833	2,292	190	2,267	1,055	5,094	29,070
S.L.M	307,268	59,266	855	17,704	19,395	17,114	2,357	34,001	17,309	115,943	591,212
L.M.+	20,289	7,127	54	3,070	2,912	609	88	1,849	1,456	3,762	41,216
L.M	42,761	16,199	256	10,347	7,653	2,019	615	6,540	4,540	29,815	120,745
3.0.0.+	1,414	523	14	577	331	17	9	122	109	398	3,614
3.0.0	2,804	1,456	12	1,722	696	517	61	702	406	2,609	10,985
G.O.+	552	44 187		11 189	18 37	19	_	146	68	95 505	211
						127					
Total	972,326	173,616	1,748	68,119	56,793	243,504	5,467	120,197	49,165	292,383	1,983,318
aght Spotted:											
G.M	662	465	-	27	-	111	-	50	-	-	1,315
S.M	132,070	141,328	891	24,913	2,118	11,126	7,020	20,996	5,798	6,392	352,652
М	632,879	279,017	5,152	147,776	16,504	13,026	26,288	54,843	25,160	26,293	1,226,938
S.L.M	328,964	155,656	6,976	132,198	15,996	5,066	16,217	25,090	12,619	24,310	723,092
	34,518	11,850	648	22,761	3,297	2,566	1,818	7,312	2,065	7,710	94,545
Total	1,129,093	588,316	13,667	327,675	37,915	31,895	51,343	108,291	45,642	64,705	2,398,542
G.M								10			10
S.M	2,070	2,640	_	209	55	354	77	186	43	41	5,675
М	88,626	19,552	67	2,196	457	1,444	747	1,014	214	216	114,533
S.L.M	84,684	13,613	247	3,246	864	1,282	820	1,449	599	750	107,554
L.M	17,542	1,995	43	1,265	629	532	38	1,287	349	1,128	24,808
Total											
Inged:	192,922	37,800	357	6,916	2,005	3,612	1,682	3,946	1,205	2,135	252,580
All grades	62,231	6,868	11	8	111	625	8	52	51	28	69,993
Mellow Stained: All grades	4,873	445	_	-	-	-	•	-	-	_	5,318
All grades	12,285	897	-	558	690	1,377	-	11,223	3,117	19,298	49,445
All grades	1,933	165	_	165	71	_	2	1,072	153	1,096	4,657
Below Grade	4,060	462	21		1,409	1,254	239	876	353	393	10,641
				1,574							
	2,379,723	808,569	15,804	405,015	98,994	282,267	58,741	245,657	99,686	380,038	1/ 4,774,494
rade index	94.8	95.4	92.4	93.0	93.5	100.8	94.3	95.8	95.2	95.0	95.2
Staple (inches)											
3/16 & shorter.	1,048	112	-	44	-	-	-	-		-	1,204
/8	28,748	3,344	309	1,327	55	139	447	151	-	44	34,564
9/32	418,943	70,925	3,193	19,492	478	277	10,602	1,917	25	307	526,159
5/16	1,321,413	439,207	9,919	158,232	7,064	3,524	34,301	15,605	767	2,916	1,992,948
1/32	410,710	191,529	2,008	157,099	7,666	1,854	8,921	47,508	5,398	14,107	846,800
	107,067	65,236	295	49,316	12,782	7,485	2,731	78,719	18,231	86,143	428,005
-1/32	38,369	22,650	53	11,611	26,210	7,815	586	59,852	44,377	214,849	426,372
-1/16	25,710	9,120	9	6,907	38,186	20,674	394	35,159	28,433	57,835	222,427
-3/32	16,993	3,254	9	863	6,120	46,405	487	5,116	2,234	3,417	84,898
-1/8	9,490	2,523	9	100	425	87,018	225	1,586	221	253	101,850
-5/32	1,129	615	-	24	8	99,079	32	44		24	100,955
-3/16	85	22	-	-	-	2,635	15	-		55	2,812
-7/32	10	32	-	-	-	1,885	-	-	440	46	1,963
	2,379,723	808,569	15,804	405,015	98,994	282,267	58,741	245,657	99,686	380,038	3,537
verage staple	7,5,7,7,5	220,000	25,504		20,334	200,207	00,741	2.01037	27,000	000,000	2,777,794
(32nd inches) .	30.2	30.5	29.9	30.7	33.0	35.8	30.2	32.3	33.0	32.8	31.1









Growth Through Agricultural Progress